

**M**

**P**

**C**

*Appliance  
Catalogue*



**THE MANITOBA POWER COMMISSION**

**WINNIPEG • PORTAGE LA PRAIRIE • BRANDON**



# **You Can Buy With Confidence From Your HYDRO**

## **ORDERING HINTS**

---

For prompt service, here are a few hints to remember when ordering appliances. Firstly, use a printed order form . . . it is designed to obtain all information required with a minimum of effort on your part.

Always be sure you have given your name in full and, in addition, your section, township, and range.

Check carefully, the description of the appliances you have chosen to purchase. The complete name, model number and price of each should be given. (*Example: Universal Cooler Refrigerator, FM-12PL, \$417.00.*)

It is also important to state the railway station to which delivery should be made and any other necessary shipping instructions.

By supplying this information as completely as possible, you help Your Hydro maintain a high standard of prompt, efficient, service to you.

For those who prefer to shop in person, Your Hydro maintains three modern showrooms at the following locations:

WINNIPEG, Canada Building - - - - Telephone 933 551  
Donald at Ellice

BRANDON, 235 Tenth Street - - - - Telephone 5321

PORTAGE LA PRAIRIE, Saskatchewan Avenue - Telephone 600

# Introduction

Your Hydro is pleased to bring you this appliance catalogue with its wide variety of electrical appliances. It hopes you will avail yourselves of this convenient method of shopping through the mail and assures you of prompt, efficient service when you do.


For your convenience, the Commission's appliance repair department has been expanded to improve service to the growing number of hydro customers. Appliance repair depots are now established at Winnipeg, Brandon and Portage la Prairie.

For the information of customers who have not yet found it necessary to take advantage of this service, the procedure is very simple. In the event of a major appliance such as a range, refrigerator, or washing machine becoming inoperative, contact your local hydro representative. Often he will be able to make the necessary repairs. If, however, it is a more serious problem requiring special facilities, he will inform the Brandon, Winnipeg or Portage la Prairie repair department and an expert will be dispatched to your home as quickly as possible.

The same procedure is followed for repair of defective small appliances such as toasters and irons. However, should these appliances require special attention, the customer is requested to ship them to the Brandon or Winnipeg repair department or deliver them personally to one of the Commission's showrooms.

Incidentally, why not take advantage of your Hydro's monthly payment plan which enables you to order what you want, when you want it? Appliances valued at fifty dollars (\$50.00) and over may be purchased by monthly payments over a period of twelve months. A cash payment of one-third of the value of the appliance is required. Other details of this plan appear on every printed order form.

Another popular method of paying for appliances is to charge it to your account. Any appliance under twenty-five dollars (\$25.00) may be charged in this way and will simply be included with your next energy bill. Any appliance over twenty-five dollars (\$25.00) requires a down payment of one-third of the value of the appliance and the balance may be charged with your next energy bill.



# BIG REFRIGERATORS FOR FARM HOMES

## *Universal Cooler*

12 cu. ft. capacity

### **FM-12PL**


This model offers the ultimate in low-cost food storage. It is specifically designed to give you all you need in a refrigerator, at a price which compares favourably with smaller models.

The large, blue-trimmed, porcelain-lined interior provides ample refrigerated space to take care of the needs of a large family. The Frozen Food Compartment holds 24 frozen food packages of standard size and two large, easy-release, ice cube trays. There are five conveniently spaced, sturdy, non-rust shelves, a large glass-topped vegetable crisper, seven-way adjustable temperature control and inside automatic light. The gleaming non-chip, white enamel cabinet is trimmed in chrome, a most attractive addition to any kitchen.

The Universal guarantee includes one full year against defects in material and workmanship on the complete unit and the hermetically sealed Silent Power mechanism is guaranteed for an additional four years.


Dimensions: Width 30 $\frac{3}{4}$ ", Depth 28 $\frac{1}{2}$ ", Height 64 $\frac{1}{2}$ ".

Plugs into any convenience outlet.



**CHC-118**

Two



**FM-12PL—**

## *Canadian General Electric*

16 cu. ft. capacity

### **CHC-118—**

This Stormor model provides maximum food storage capacity. Seven Unichrome plated shelves are adjustable with 27 square feet of shelf area. Inside and out it is finished in Dulux enamel . . . gleaming white, easy to clean. The Frozen Food Compartment provides 3.9 square feet of storage space, drip tray easily removable for cleaning, two Jiffy ice cube trays with 24 convenient individual, plastic ice cube cups. Adjustable cold control allows choice of temperature. Automatic interior light and two porcelain vegetable crispers are standard equipment.

The C.G.E. guarantee covers the entire unit for one year and sealed-type refrigeration mechanism for an additional four years.

Dimensions: Width 42", Depth 28", Height 64".

Plugs into any convenience outlet.

# GENERAL ELECTRIC

## *The "Space Maker"* by General Electric



JD-91—

### JD-91

The  $9\frac{1}{2}$  cubic foot "Space Maker" by General Electric occupies no more floor space than a 7 cubic foot model, thereby providing extra storage space for all your food without wasting precious kitchen space.

Shelves in the "Space Maker" are removable and adjustable in height to allow more than 20 different shelf arrangements and they slide forward for easy accessibility. The convenient "Stor-a-dor" provides ample space for storing small items on the door. The exclusive butter conditioner keeps one pound of butter at just the right spreading temperature. The generous stainless steel frozen food compartment accommodates as many as 20 packages of frozen food.

Other features provided by this model are: two handy vegetable crispers keeps fruit and vegetables garden fresh; meat storage compartment keeps all meat in best condition; dry storage bin for canned goods, cereals, etc.; two ice cube trays for fast freezing of 32 ice cubes and a releasing lever that makes it easy to remove the cubes; automatic interior light and adjustable floor glides for levelling.

The exterior is finished in white deluxe enamel with black and chrome trim; interior is of porcelain enamel. Complete refrigerator is guaranteed for one year and the refrigeration unit for an additional four years.

Dimensions: Width 29 $\frac{1}{4}$ ", Depth 29", Height 61 $\frac{1}{2}$ ".

Operates on 120 volts.

## THE NEW

# ~~CROSLEY~~ *Shelvador*




DC-9—

### DC-9

The new Crosley "Shelvador" refrigerator stores twice as much food—in front—in sight—in reach! Scientifically designed shelves are recessed into the door to accommodate bottles, packages, fruit and eggs. Full width frozen food compartment holds up to 50 pounds of frozen food with plenty of room for ice cubes. Other features: meat storage tray; two large vegetable crispers; butter safe to keep butter at just the right consistency; plenty of tall bottle space. Shelves are of strong rust resistant steel, interior is of acid resistant porcelain enamel and exterior is of deluxe baked enamel. Guarantee covers entire refrigerator for one year and the refrigeration unit for an additional four years.

Capacity, 9.5 cu. ft. Operates on 120 volts.  
Dimensions: Width 30 $\frac{1}{4}$ ", Depth 27 $\frac{1}{2}$ ", Height 57 $\frac{1}{2}$ ".



SC-75—

### SC-75

Offers exclusive "Shelvador" features in compact size. Convenient shelf arrangement and exclusive recessed shelves in the door add to the storage capacity of this model. The all-steel extra strength cabinet is Bonderized for rust resistance. Shelves are of strong rust resistant steel.

Other features: Full width frozen food compartment with two trays for ice cubes; interior finished in acid-resistant porcelain enamel, exterior finished in deluxe baked enamel; one year guarantee on complete refrigerator with an additional four year guarantee on the sealed refrigeration unit.

Capacity, 7.6 cu. ft. Operates on 120 volts.  
Dimensions: Width 24 $\frac{1}{4}$ ", Depth 27 $\frac{1}{2}$ ", Height 55".



# Westinghouse



**MF-9**

## **MF-9—**

There is extra convenience and extra beauty in every feature of this new Westinghouse refrigerator. It features: all steel, one piece cabinet; fibreglass insulation; automatic door closer and Triplock latch to assure a positive seal without slamming the door; dual automatic protection to shut off the motor when power trouble occurs; and hermetically sealed Economiser mechanism.

Ample storage space is provided by 1.) across-the-top frozen food compartment which stores up to 60 pounds of frozen food and ice cubes, 2) Meatkeeper tray holds 18 pounds of meat, fish or poultry, 3.) twin Humidrawers which keep  $\frac{1}{2}$  bushel of fruit and vegetables crisp and garden-fresh, 4.) flexibility of shelf arrangement, 5.) Stor-Dor which gives an additional eight feet of shelf space on the door at your finger tips.

Exterior is finished in Deluxe enamel while the interior is finished in porcelain enamel. Shelves are rust-resistant steel. One year warranty is provided plus an additional four years on the hermetically sealed refrigeration unit.

Capacity: 9 cu. ft. Dimensions: height 62 $\frac{3}{8}$ ", width 30 $\frac{5}{8}$ ", depth 29 $\frac{1}{8}$ ". Operates on 120 volts.

## **MSD-8—**

Everything you want in a refrigerator has been built into this model. Occupies no more floor space than a 7 cu. ft. model, yet it holds 8 cu. ft. . . . enough food for the whole family.

The frozen food compartment holds 21 pounds of frozen food and ice cubes. Meatkeeper accommodates 14 pounds of meat, poultry, or fish. Humidrawer holds over  $\frac{1}{4}$  bushel of fresh vegetables. New improved shelf arrangement provides all around greater storage capacity. The five shelf Stor-Dor provides eight feet of front-row storage space.

Many mechanical features improve this model: one piece construction of welded steel, Economiser mechanism for economical and efficient service is hermetically sealed . . . requires no oiling, Silent Watchman protects the motor from power overloads, automatic door closer closes door firmly at a light touch, Triplock door latch assures a tight positive seal without slamming the door, automatic interior light, fibreglass insulation.

Exterior finished in Deluxe enamel; interior finished in porcelain enamel.

One year warranty is provided plus an additional four years on the hermetically sealed refrigeration unit.

Capacity: 8 cu. ft. Dimensions: height 54 $\frac{3}{4}$ ", width 27 $\frac{5}{8}$ ", depth 28 $\frac{7}{8}$ ". Operates on 120 volts.



**MSD-8**

# Westinghouse

## MSD-7—

The usual high quality Westinghouse features have been combined in this 7 cu. ft. model.

Spacious frozen food compartment holds 21 pounds of frozen food and ice cubes. Large Meatkeeper holds 15 pounds of meat. Glass top Humidrawer keeps  $\frac{1}{4}$  bushel of fruit and vegetables garden-fresh. Stor-Dor provides 8 feet of additional space at your finger tips.

This model features all the Westinghouse mechanical advancements: True-Temp cold control for positive food protection, Silent Watchman to protect the Economiser mechanism from overload, automatic door closer and Triplock door latch to eliminate slamming and to provide an efficient, positive seal, and fibreglass insulated.

Special features: folding shelf for small articles, half-shelf for storage of extra articles, plastic Jiffy-cube ice tray, frozen dessert tray and grid. Exterior finished in Deluxe enamel while interior is of porcelain enamel.

Warranty covers entire unit for one full year and the refrigeration unit for an additional four years.

Capacity: 7.1 cu. ft. Dimensions height 54 $\frac{3}{4}$ ", width 28 $\frac{1}{8}$ ", depth 29". Operate on 120 volts.



**MSD-7**



**MD-7**

## MD-7—

This model has all the mechanical perfection and the beauty of the MSD-7. It provides complete automatic protection for all your foods.

Sanalloy super freezer holds 21 pounds of frozen food and ice cubes. The glass meat storage compartment holds up to 15 pounds of meat, game, or fish, and the moist Humidrawer keeps over  $\frac{1}{4}$  bushel of fruit and vegetables crisp and garden fresh.

Features: Stor-Dor for extra shelf space; Economizer mechanism; Silent Watchman to protect the motor against abnormal conditions; exclusive, positive True-Temp control to keep every part of the refrigerator at the correct degree of coldness; fibreglass insulation.

Special features: plastic Jiffy-cube ice tray, dessert tray.

Finish: exterior of Deluxe enamel, interior of porcelain enamel.

The complete refrigerator is guaranteed for one full year and the refrigeration unit for an additional four years.

Capacity: 7.1 cu. ft. Dimensions: height 54 $\frac{3}{4}$ ", width 28 $\frac{1}{8}$ ", depth 29". Operates on 120 volts.

# LEONARD

## MODEL No. LHM—

Beauty personified . . . this model gives more COLD space in less FLOOR space. Across-the-top freezer holds 42½ pounds of frozen food and four trays of ice cubes. The full-width door of the compartment serves, when opened, as a handy re-arranging shelf. Equipped with a six quart transparent meat tray with an aluminum cover.

This model is equipped with an insulated humidity control baffle below the freezing compartment. The baffle has a slide at the rear which can be adjusted to regulate the humidity and coldness in the lower portion of the refrigerator. Front section of baffle may be used for storing frozen meat.

Shelves are adjustable for added flexibility of arrangement. The big glass-covered, roller mounted crisper provides more than half a bushel of moist refrigerated storage space for fruit and vegetables. Covered plastic Handitray is ideal for storing salad greens, etc.

The exclusive butter chest is available at extra cost. It is thermostatically controlled to keep butter at the right spreading temperature. Plugs into an electric outlet within the refrigerator. Butter tray is included.

The full length door and the interior are Leonard-Gold trimmed. Exterior finished in gleaming Permalain enamel, interior of porcelain enamel . . . acid, grease and crack-resistant, efficiently insulated, automatic interior light, equipped with defrosting receptacle.

Glacier Sealed Unit never requires oiling and assures dependable, trouble-free service.

Guarantee covers entire unit for one full year and the refrigerator mechanism for an additional four years.

Capacity: 10.9 cu. ft.

Dimensions: height 60½", width 31½", depth 29½". Operates on 120 volts.



LHM

## MODEL No. LSM—

This model offers spacious storage capacity and beauty. Extra features: full length door; frozen food compartment holds 38 pounds of frozen food and three ice cube trays, has adjustable shelves; full-width crisper is glass-covered, roller mounted and holds over half a bushel of fruit and vegetables; large plastic Meat Tray and cover keeps meat fresh longer; clear plastic utility tray is covered and is ideal for fresh salad greens; shelves are adjustable for easy storing of food; and the exclusive butter chest is available as an accessory. The butter chest keeps butter at the right spreading consistency, thermostatically controlled, plugs into electric outlet within the refrigerator. Refrigerator is Leonard-Gold trimmed.

Standard features: construction is of welded steel, finished in acid and chip-resistant Permalain enamel, Len-a-Latch door mechanism assures a tight seal without slamming, automatic interior light, Glacier Sealed Unit requires no oiling. Complete unit fully guaranteed for one full year with the refrigeration mechanism guaranteed for an additional four years.

Capacity: 11.9 cu. ft.

Dimensions: height 60½", width 31½", depth 29½". Operates on 120 volts.



LSM

## MODEL No. 865B—

This Leonard presents more cold space, more regal beauty, more quality and utility . . . for less money.

Frozen Food Chest: scientifically designed, constructed of stainless steel, holds 34 pounds of frozen food, removable shelf, four ice cube trays, self-closing door.

Bottle Storage Space: extra high space for tall bottles, additional bottle space provided by removing half of lower shelf.

Sliding Vegetable Crisper: plastic, glass covered, to keep fruit and vegetables fresh and crisp.

Meat Tray: white plastic, roomy, glass covered, also serves as defrosting tray.

Construction: welded steel, full-width door assures easy access to all parts of the compartment, positive door latch assures tight seal, automatic interior light.

Finish: exterior of gleaming Permalain enamel that will not stain, chip or crack, interior of porcelain enamel.

Refrigeration Unit: Glacier Sealed Unit never requires oiling . . . dependable, efficient.

Guarantee: one full year on complete unit, additional four years on the refrigeration mechanism.

Capacity: 8.6 cu. ft.

Dimensions: height 58", width 31½", depth 28½". Operates on 120 volts.



865B



# LEONARD

## MODEL No. 870—

Many features of the deluxe model have been incorporated into this smaller model.

Full width freezing compartment of stainless steel and aluminum, holds 40 pounds of frozen food and three trays of ice cubes. Two self-closing doors assure maximum coldness in this compartment.

Located below the freezing compartment is an insulated humidity control baffle. This baffle has openings at the rear which regulate the amount of circulation and cold in the refrigerator. It also acts as a meat tray, re-arranging shelf and directs meltage to separate defrosting receptacle. Two sliding crispers provide plenty of space for fresh fruit and vegetables.

Full-width door closes easily and provides a sure, positive seal. Constructed of welded steel, finished in acid and chip-resistant Permalain enamel and acid-resistant porcelain enamel inside. Automatic interior light.

Guaranteed for one full year with an additional four year guarantee on the Glacier Sealed refrigeration unit.

Capacity: 8 cu. ft.

Dimensions: Height 58", width 31¼", depth 28½". Operates on 120 volts.



870

## MODEL No. 768—

Leonard's usual quality features and beauty combine to make this a truly practical refrigerator.

The frozen food chest stores up to 25 pounds of frozen food and ice cubes. Compartment is of stainless steel with self closing plastic doors, four ice cube trays. Twelve quart capacity vegetable crisper slides in and out easily, equipped with independently supported glass cover. Comes with chilling tray which also acts as defrosting tray.

Standard features: automatic interior light, welded steel construction, full-width door, finished in acid, grease, crack and chip-resistant enamel, completely insulated, positive door seal, temperature control, and the Glacier Sealed Unit.

Guarantee covers complete unit for one full year and the sealed-in refrigeration unit for an additional four years.

Capacity: 7.56 cu. ft.

Dimensions: height 57", width 31¼", depth 28½". Operates on 120 volts.



768

## MODEL No. 660C—


Small, compact, yet holds so much! This model provides storage for up to 15 pounds of frozen food and two trays of ice cubes. Shelves may be removed for the storage of bulky foods. Full-width vegetable crisper slides easily and has a capacity of twenty quarts. Independently supported glass cover acts as a shelf. Handy chilling tray serves as a defrosting tray.

This model is constructed of welded steel, has full-width door, automatic interior light, temperature control, positive door seal, finished in acid, grease, chip, crack-resistant enamel.

The Glacier Sealed refrigeration Unit provides dependable, trouble-free service. Guaranteed for five years while the complete unit is guaranteed for one full year.

Capacity: 6.1 cu. ft.

Dimensions: height 55¼", width 24¼", depth 26¾". Operates on 120 volts.



660C

# HOME FREEZERS FOR ECONOMICAL STORAGE

## 2 Refrigerators in 1

### CHDT20M11—

Here is a unit that combines in one beautiful cabinet, not only a full-size normal refrigerator but also a full-size low temperature freezer. It occupies a floor space of only 28" x 42". It has a gleaming white exterior finished in Duluxe enamel.


#### NORMAL TEMPERATURE COMPARTMENT

Capacity: 10.32 cu. ft.; divided by four shelves the lower three of which are adjustable to give greater flexibility of shelf arrangement; interior finished in baked porcelain enamel; automatic interior light; drip tray and one opal crispener included.

#### LOW TEMPERATURE COMPARTMENT

Capacity 8.8 cu. ft. It is divided into three individual compartments each of which has its own individual door permitting the use of one section only. Four refrigerated plates not only cool the section and act as shelves but provide ample surface for freezing foods. Interior is finished in baked porcelain enamel. The roomy interior will hold up to 300 pounds of meat. Two ice cube trays are provided.

This unit is efficiently insulated. A single hermetically sealed condensing unit operates both compartments. Automatic defrosting device defrosts normal side of this unit. Guaranteed for one full year with an additional four year guarantee on the refrigeration unit. Operates on 120 volts.



CHDT20M11

## FRESH FROZEN FOODS . . .

Point the way to an era of more bounteous living. Vegetables and fruits, picked and processed while in their prime, along with frozen meats, fish and fowl, provide unlimited scope in serving balanced nutritious meals throughout the year. Regardless of the method you employ in obtaining your supply of frozen foods by processing and freezing at home, or with the use of the quick-freeze facilities of your local plant operator . . . you will find a home freezer one of your best investments.



HL105—

## Universal Cooler

10½ cu. ft. capacity

### HL105

Manufactured by pioneers in the refrigeration industry, the Universal Cooler Home Locker represents the best value obtainable.

Constructed of top-quality steel, the gleaming white hi-bake, non-chip cabinet is fitted with hardware of the highest grade. The counter-balanced, table-top lid opens easily and presents a spotless white frozen food compartment trimmed with ice-blue shoulders. Four sturdy, plated steel wire baskets make for orderly storage of packaged foods. Baskets are easily, quickly removed, making contents readily accessible. Insulation of the highest rated efficiency is sealed against vapor penetration, assuring the steady maintenance of desired temperatures. The highly balanced refrigeration system includes the already famous Silent Power hermetically sealed condensing unit.

Guarantee covers complete unit for one year and refrigeration mechanism for an additional four years.

Dimensions: Length 53", Width 32¾", Height 38".

Plugs into any convenient outlet.

## Canadian General Electric

### HSF-16—

This spacious 16 cu. ft. freezer, holding up to 560 lbs. of food, is the last word in convenience and economy. Two movable dividers and wire basket in storage compartment, and the counterbalanced lid with automatic light on underside are designed for convenient storage. Glass fibre insulation and tight-closing lid ensure economy of operation. Partitioned low-temperature section for quick freezing can be used for regular storage when desired. The motor, hermetically sealed in steel, is protected from dust and moisture.

Guarantee covers complete unit for one year and refrigeration mechanism for an additional four years.

Dimensions: Length 65 $\frac{1}{4}$ ". Width 29", Height 39 $\frac{3}{4}$ ".

Plugs into any convenient outlet.



HSF-16

## Build It Yourself FREEZER


### CANADIAN GENERAL ELECTRIC UNIT

#### KD21K—

Here is the freezer you have always wanted . . . a big freezer . . . holds more than 700 pounds of meat, butter, fruit, vegetables, game and fish . . . more than 20 cu. ft. of space, all kept at zero degrees or lower by a C.G.E. refrigeration unit. It is within reach of every handy man . . . for you reduce the cost by building it yourself.

Detailed plans and blueprints for construction of the cabinet and installation of the unit are provided. The cabinet, made from shiplap or plywood which you purchase locally, is 7' long, 39" wide and 38" deep.

The C.G.E. freezer unit package contains: a  $\frac{1}{4}$  horsepower refrigeration unit, with chill plates and controls assembled as a unit for installing in the cabinet you construct, and the necessary insulation, vapor-proof paper, hardware and door gaskets. Operates on 120 volts.



KD21K

## MILK COOLERS

## Canadian General Electric

### EMC261C—

The C.G.E. milk cooler is entirely automatic . . . has a capacity of 6 milk cans or 48 gallons. The efficient  $\frac{1}{3}$  horsepower condensing unit cools three cans to 50° F. in one hour. This drop-in type unit is removable for quick replacement or repair. Entirely automatic, adjustable temperature control. Equipped with continuous pull-down switch which over-rides the automatic control to assure continuous cooling during loading period. Operates on 120 volts.

## Build It Yourself

### GIBSON SNOWBIRD UNIT

Thrifty farmers will be interested in this milk cooler unit which can be easily built right in your own workshop. Complete instructions and blueprints are provided with each unit for the construction of an insulated tank (cement or lumber) and installation of the unit.


You can purchase the construction materials for the tank locally. The sheet cork insulation required for its construction will vary in price depending on the model chosen. The milk cooler unit package includes the chill coils, water circulator, and controls specially designed to be installed on top of a "home-made" tank. Available in four models. Operates on 120 volts.

**P4**—Capacity 4 cans in single row; length 72" depth 30"; width 24".

**P6**—Capacity 6 cans in double row; length 60"; depth 30"; width 48".

**P8**—Capacity 8 cans in double row; length 72"; depth 30"; width 48".

**P10**—Capacity 10 cans in double row; length 109"; depth 30"; width 48".



EMC261C



# A MOFFAT RANGE . . .

## *Super-Deluxe, Five Burner, Two Oven, Table Top*

**1225-52**


This streamlined model incorporates all the sensational new style and performance developments created through years of experience of Moffat designers and engineers. Equipped with: five high speed surface elements; two big ovens . . . Bake Master oven with 1800 watt top element and 1500 watt bottom element . . . Grill Master oven with super 2700 watt grill element and 1500 watt lower element; spacious 500 watt warming drawer; useful utility drawer.

Use Value Features: Stream-lite lamp; Select-o-matic control switch to bring you finger-tip automatic time clock control of oven, two top burners, or utility outlet; two synchrochime oven controls with fully automatic illumination of dials; Automatic Chef time clock controlling automatic operation at your setting; Minute-Minder to time any cooking operation; super broiler.

Available with either Red-Spot solid elements or Flex-o-tilt tubular elements. State choice of element.

Dimensions: Width 39½", Depth 25¼" Height, cooking top to floor, 36".

Operates on 240 volts.



**1225-52**

## *Deluxe, Four Burner, Table Top*

**1144-52**

Designed to meet popular demand, this Deluxe model indicates clearly why Moffat is a leader in style and performance.

Equipped with: four high speed surface elements; large bake oven; Synchrochime oven control; useful warming oven with pilot light; two utility drawers; Viso-Tilt switch panel with Multi-Heat finger-tip switches at the convenience level; Minute-Minder; Stream-lite lamp; super broiler.

Available with or without automatic clock for timing control in oven. State choice of Red-Spot or Flex-o-tilt elements.

Dimensions: Width 39½", Depth 25¼", Height from cooking top to floor 36".

Operates on 240 volts.

**1144-52** . . without clock. **1144C-52** . . with clock.



**1144-52**

## *Super-Deluxe, Four Burner, Table Top*

**1164-52**

This super-deluxe model places the accent on the ease and efficiency of modern electric cooking methods.

Equipped with: four surface elements; divided top with working surface between elements; Stream-lite lamp; large Bake-Master oven; Select-o-matic control switch to bring you automatic time clock control of oven, two top burners, or utility outlet at your selection; Synchrochime oven control; Automatic Chef time clock; Minute Minder; large warming oven with interior floodlight; two utility drawers; Multi-Heat finger-tip switches at the convenience level; streamlined porcelain enamelled front base panel; super broiler.

Available with either Red-Spot solid elements or Flex-o-tilt tubular elements. State choice of elements.

Dimensions: Width 39½", Depth 25¼", Height, cooking top to floor, 36".

Operates on 240 volts.



**1164-52**

# ...FOR SATISFACTION

## Moffat "Debutante"

**594—**

"Modern as tomorrow—for your kitchen today."

The new Moffat Debutante combines many new features which you find in more smartly styled kitchen equipment. This range is a streamlined beauty and provides maximum top surface cooking area. The wide, full-width door securely seals a generous sized Moffat oven. This model brings you the famous Moffat "Perma-Gleam" porcelain enamel; four finger-tip, five heat surface switches, warming drawer, efficient Moffat broiling and baking elements and convenient utility outlet. Available with or without automatic clock for timing control in oven. Your choice of either Red-Spot solid elements or Flex-o-tilt tubular elements. Operates on 240 volts.

Dimensions: Width 36", Depth 25", Height from cooking top to floor 36".

**594 . . . Without Clock.**

**594C . . . With Clock**

## Deluxe, Four Burner, Low Oven

**1054C-52—**

This compact model embodies many of the special features found only on the larger Moffat models . . . four high speed surface elements; large full size oven; Synchrochime control; large warming drawer; Minute-Minder; Utility outlet; Multi-Heat finger-tip switches; Deluxe lamp.

Available with or without automatic clock for timing control in oven. State choice of Red-Spot or Flex-o-tilt elements.

Dimensions: Width 22 $\frac{7}{8}$ ", Depth 25 $\frac{1}{4}$ ", Height from cooking top to floor 36". Operates on 240 volts.

**1054-52 . . without clock.**

**1054C-52 . . with clock.**

## Standard, Four Burner, Low Oven

**1034-52—**

For modern kitchens and careful budgets, here's an exceptionally fine range that provides complete cooking service. Equipped with: four high speed surface elements; broiler; warming drawer; Multi-Heat switches, utility outlet.

Available with either Red-Spot or Flex-o-tilt elements. State choice.

Dimensions: Width 22 $\frac{7}{8}$ ", Depth 25 $\frac{1}{2}$ ". Height from cooking top to floor 36". Operates on 240 volts

## Annex Heater

**5100—**

This coal or wood kitchen heater is smartly finished in porcelain enamel, designed to be placed alongside any electric range as it is the same height. Waterfront for water heating is available and easily installed.

Dimensions: Width 15", Depth 25", Height 36" from top to floor.

**5100 . . . Annex Heater.**


**5100WF . . . Waterfront.**



**594**

Only Moffat gives you a choice of Flex-o-tilt tubular elements or Red-Spot solid elements.

The Flex-o-tilt with slightly higher wattage represents superlative speed. The Red-Spot has given dependable, trouble-free performance over the years.



**1054C-52**



**5100**



**1034-52**

Every appliance sold by Your Hydro is guaranteed.

Eleven

# WESTINGHOUSE RANGES . . .

## *Super Deluxe*

### **B-14—**

Cooking pleasure and kitchen beauty are yours with this Super Deluxe range. The outstanding feature of this model is the Miracle Oven which has two supersize units . . . broil and bake, each 3800 watts! The exclusive Even Flo oven heat control gives you perfect baking anywhere in the oven . . . built-in oven light and smokeless broiler pan and rack.

The four Corox surface units include two 8" 2100 watt elements and two 6" 1250 watt elements. The new simplified controls including the automatic timer, surface element switches and oven heat control are centred out of the steam zone on extra high, chrome trim, anti-splash back.

Other features are: four five-heat surface switches; warming compartment; two storage drawers; two utility outlets for plugging in small appliances; full width light; beautiful finish of life-time white porcelain enamel.

Dimensions: Width 40", Depth 24 $\frac{1}{4}$ ", Height 36" to cooking top. Operates on 240 volts.

**B-14**

## *Special Deluxe*

### **C-24—**

A beautiful new range with everything to make your cooking and baking hours pleasant . . . and to ensure perfect results every time. The large Miracle Oven has the new Heat Guard Seal, assuring perfect balance of heated air. The automatic electric timer gives you more freedom, the full width light means brighter, safer cooking, and the super-speed Corox units meet any cooking need.

Features: Four super-speed Corox surface elements, (two 8" 2100 watt elements, two 6" 1250 watt elements.) Each element is controlled by a five-heat switch. Fibreglass Heat Guard Seal shuts out all air currents allowing a balance of heated air within the oven. Built-in oven light, Minute Minder and appliance outlet give added convenience.

Extra features: two roller drawers provide extra utensil storage. Large warming drawer keeps food warm until serving. Menu Master broiler pan with rack provides smokeless broiling.

Dimensions: Width 40", Depth 24 $\frac{1}{4}$ ", Height 36" to cooking top. Operates on 240 volts.

**C-24**



# ... FOR COOKING PERFECTION

## *Deluxe Range*

### **C-14W—**

A pride to own! A pleasure to use! All steel construction finished in lifetime porcelain enamel. The large Miracle oven with bake and broil elements, each 3800 watts, has the exclusive Westinghouse Even Flo oven heat control which provides perfect baking anywhere in the oven. Built-in oven light and smokeless broiler. Four super-speed Corox surface units—two 8" units, each 2100 watts; two 6" units, each 1250 watts. Simplified controls out of the steam zone.

Other features: Single dial oven control; built-in electric timer; five-speed switches for surface burners; surface light; warming drawer and two storage drawers, convenient utility outlet.

Dimensions: Width 40". Depth 24¼", Height from cooking top to floor 36". Operates on 240 volts.



**C-14W**



**A-4M**

## *Low Oven*

### **A-4M—**

This space-saving cooking unit embodies the Westinghouse quality features in a compact range. Wrap-around body and one-piece cooking top and back splash make for easiest possible cleaning.

Equipped with: Utility outlet; four tubular surface elements — two 8" units, 2100 watts; two 6" units, 1250 watts. True-Temp oven has 2400 watt broil unit and 2300 watt bake element . . . complete with smokeless broiler pan and rack. All exposed surfaces are of pure white, acid-resisting porcelain enamel.

Dimensions: Width 24", Depth 28", Height 36" to cooking top. Operates on 240 volts.

# GURNEY ELECTRIC RANGES . . .



**44E-12**

## *Deluxe, Four Burner, Table Top*

### **44E-12—**

The distinctive Gurney styling of this range goes hand in hand with brilliant performance and utmost cooking convenience. Equipped with: four self-cleaning tubular elements, three 1250 watts and one 2100 watts, with removable reflector pans; Even-Heat oven with removable elements for easy cleaning, (upper unit 1800 watts, lower 1500 watts), automatic interior oven light, heavy duty broiler pan and rack; warming oven with 660 watt element; two storage drawers.

Special feature: time clock which operates oven, back element, or convenience outlet automatically.

Other features: acid-resisting porcelain top; five-heat switches with individual pilot lights for surface elements; shaded lamp on backplash; handy condiment set; practical Toe-in black enamel base; fuses easily accessible and clearly marked.

Dimensions: Width 38", Depth 25", Height to cooking top 36".

Operates on 240 volts.



**14E-10**

## *Deluxe, Four Burner, Low Oven*

### **14E-10—**

This model gives you maximum convenience in minimum space. Equipped with: four tubular surface elements and Even-Heat oven of same wattage as 44E-12 model . . . five-heat switches with pilot light for surface elements . . . automatic interior oven light . . . broiler pan and rack; one storage drawer; convenience outlet; acid-resisting porcelain top and Toe-in base.

Dimensions: Width only 22", Depth 25", Height to cooking top 36"  
Operates on 240 volts.

## *Standard, Four Burner, Table Top*

### **44E-10—**


Convenience and economy are combined in this utility model. Equipped with: four surface elements with five-heat switches and individual pilot lights, the same as the 44E-12; Even-Heat oven complete with broiling pan and rack and automatic interior light; warming oven; two storage drawers; convenience outlet; acid-resisting one-piece top and Toe-in black enamel base.

Dimensions: Width 38", Depth 25", Height to cooking top 36".  
Operates on 240 volts.

## *Lamp Assembly and Automatic Timer*

### **7-2LT—**

Smartly styled lamp completely illuminates the cooking surface. Automatic time clock operates oven at your setting. This assembly is for use on Gurney Models -14E-10, 34E-2, 44E-10 and 64E-10.



**7-2LT**



**44E-10**

# ... FOR CONVENIENCE AND ECONOMY

## *Four Burner, Three Quarter Table Top*

### 34E-2—

This model, a three-quarter size range with all the standard Gurney kitchen-tested features, allows flexibility of kitchen planning.

Equipped with: four tubular surface elements with five-heat switches and individual pilot lights; Even-Heat oven automatically lighted and complete with broiler and rack; warming oven at side with removable middle shelf allowing utmost flexibility; acid-resisting one-piece top; practical black Toe-in base.

Dimensions. Width 32", Depth 25", Height to cooking top 36".

Operates on 240 volts.



34E-2

## *Lamp Assembly and Minute Minder*

### 6-2EM—

This streamlined lamp and minute minder set adds to the appearance and practicability of any range. Available for models: 64E-10, 44E-10, 34E-2 and 14E-10.



6-2EM



86W

## *Kitchen Heater*

### 86W—

This kitchen heater fills the bill nicely for cold kitchens. It stands alongside any electric range . . . a snug fit, perfectly matched with gleaming white porcelain finish and black Toe-in base. Can be supplied complete with waterfront for hot water supply.

Dimensions: Width 16", Depth 26", Height 36".

86W . . Kitchen Heater. 171-146C-1 . . Waterfront.

## *Four Burner, Co-Electric*

### 64E-10—

This model, designed especially for the electrified farm, provides heat for your kitchen plus all the wonderful advantages of electric cooking.

The electric unit is complete with four five-heat surface elements; Even-Heat oven, automatically lighted and equipped with broiler pan and rack; convenience outlet.

The coal unit is well insulated from the electric unit . . . may be fitted with wood burning grates and waterfront. Gleaming porcelain door covers fire box and ash pit. Two 8" lids, one sectional.

Dimensions: Width 38", Depth 28½", Height to cooking top 36".

64E-10 . . CO-Electric Range 171-146C-1 . . Waterfront



64E-10

*Every appliance sold by Your Hydro is guaranteed.*

*Fifteen*




# A CANADIAN GENERAL ELECTRIC RANGE



RD-42

FAST . . . The heart of the C.G.E. Range is the fast, efficient, Calrod element. Five speeds give you the right heat . . . instantly . . . for every cooking job.



## De Luxe Model

RD-41—

This truly de luxe model range is equipped with: three 1250 watt and one 2050 watt Calrod surface units with five heat selections; two Calrod oven units, 2000 watt unit for broiling and 1500 watt unit for baking. operate together for rapid pre-heating; one warmer drawer with 450 watt unit.

Special feature: Only the deluxe range has the versatile Tripl-Unit which provides you with a six quart Pressure Cooker, a Thrift Cooker and extra surface unit when you need it. Set below the range surface for easy use and protection, the Tripl-Unit, when used as a Pressure Cooker, saves almost two-thirds the time required for ordinary surface cooking. As a Thrift Cooker, it is ideal for steaming, boiling, stewing or sterilizing . . . or the preparation of complete dinners. And when you need an extra surface unit it is a simple matter to lift the Calrod unit to the top and slide it into place.

Other features include: Timer and automatic oven controls set in backsplash, automatic oven light, porcelain enamel broiler and rack, convenience outlet for use of small appliances at range, two storage drawers, venetian blind type surface lights, and Minute Minder.

Dimensions: Width 40", Depth 25", Height 36" to cooking surface.

Operates on 240 volts.



RD-41

## *Cook by Color with a G.E. Speed Cooking Range*

RD-42—

Here is the latest in electric ranges by Canadian General Electric. Many new features have been incorporated into this range to provide the ultimate in cooking speed and satisfaction.

A new feature is the push button cooking. You simply push a button for the desired heat. The Tel-A-Cook lights, a different light for each heat, provides maximum ease in cooking.

The oven is fully insulated for better baking results. A new silicon door gasket keeps the heat in the oven. Equipped with automatic oven light and smokeless broiler pan and rack. Finished in easy-to-clean porcelain. Automatic oven timer controls the baking time of the oven and one of the two utility outlets. Oven elements include 3800 watt units for baking and 4000 watt units for broiling.

Four five-speed Calrod surface units include one 8" giant size, 2050 watt unit and three 6" 1250 watt units. One of the 6" units is used for the Tripl-Unit which provides a 6 quart pressure cooker, a thrift cooker for ordinary cooking and boiling, and a plain surface element when needed. Other features: Electric Minute Minder, warming oven conveniently located to eliminate stooping, two storage drawers, full width light on backsplash to illuminate buttons and controls, permanent baking chart located over the warming drawer to give you recommended baking times of various foods, easy-to-reach fuses located in the back-splash, finished in acid-resisting titanium enamel. Operates on 240 volts.

... FOR EVERY FAMILY'S NEEDS



RM-41

## Standard Table Top

### RM-41—

Fast and economical in operation, beautiful in design and appearance, this popular model invites comparison with any range in its price class.

Equipped with: three 1250 watt and one 2050 watt Calrod surface elements with five heat selections; 2000 watt unit for broiling and 1500 watt unit for baking, operate together for rapid pre-heating; one warmer drawer with 450 watt unit.


Features are: Handy minute minder to sound alarm reminding you when cooking time is completed, automatic oven light, easily cleaned porcelain enamel broiler pan and rack, two storage drawers, convenience outlet, and lamp assembly.

Dimensions: Width 40", Depth 25", Height 36" to cooking surface. Operates on 240 volts.

## Lamp Assembly

### LMK-05A10—

This streamlined lamp and minute minder set will add to the appearance and the practicability of your C. G. E. range.



LMK-05A10

## Four Burner, Low Oven

### RS-41—

Everything you need for complete electric cookery performance is built into this compact range which is designed for use in kitchens where space is at a premium.

Includes: Three 1250 watt and one 2050 watt Calrod surface units; two Calrod oven units, 2000 watt unit for broiling and 1500 watt unit for baking, operate together for pre-heating; automatic interior oven light; storage drawer, and convenience outlet.

Dimensions: Width 21½", Depth 25", Height 36" to cooking surface.

Operates on 240 volts.



RS-41

# GENERAL ELECTRIC RANGES

## *Combination, Coal and Electric*

### **OM-41—**

This model is ideal for the home without adequate heating facilities. It is the combination of two stoves, one burning soft or hard coal for heating and the other a four burner electric range with all the necessary features of modern controlled heat, for easy, efficient cooking.

Heavy fibre-glass insulation and air strip isolates the coal burning stove from the electric oven.

The electric range is equipped with three 1250 watt and one 2050 watt Calrod tubular elements . . . oven has 2000 watt unit for broiling and 1500 watt unit for baking which operate together for rapid pre-heating . . . automatic interior light in oven . . . storage drawer . . . convenience outlet.

Work surface light and attachment for water heating available at extra cost.

Dimensions: Width 38", Depth 28½", Height 36" to cooking surface. Operates on 240 volts.

**OM-41**—Combination, Coal and Electric Range.

**171-146C-1**—Waterfront for above range.

**GMLK**—(Lamp Kit).



**OM-41**

Easy to Clean . . . The Calrod tubular element is self-cleaning; spillage burns right off.



## *Three Burner, Low Oven*

### **RS-31—**

This compact range provides generous cooking capacity. It is attractively designed for economy in both floor space and operation.

Includes: Two 1250 watt and one 2050 watt Calrod surface units; two Calrod oven units, 2000 watt unit for broiling and 1500 watt unit for baking, operate together for pre-heating; storage drawer; convenience outlet.

Dimensions: Width 21¾", Depth 25", Height 36" to cooking surface. Operates on 240 volts.



**RS-31**



# WASHING MACHINES

## *Canadian General Electric*

### DE LUXE

#### MD9P—

Capacity, 9 pounds of dry clothes.

This streamlined model is as modern in performance as appearance.

Tub: Porcelain, with full length skirt finished with lustrous white enamel.

Wringer: Sturdy Lovell-type, balloon rubber rolls with pressure adjustable to all types of clothes and "finger-tip" safety release which stops wringer at a slight, instinctive pull on the article going through.

Activator: Especially designed to provide three distinct zones of washing action, soaking, flexing, and gently scrubbing.

Mechanism: Dependable C.G.E. motor with Permadrive mechanism which requires no belts or oiling.

**PLUS FEATURES:** New adjustable timer that regulates washing time from one to fifteen minutes and acts as an "on" and "off" switch. Another added convenience is the powerful, quick-emptying pump.

Operates on 120 volts.

### MEDIUM

#### MM9P—

Capacity, 9 pounds of dry clothes.

This medium model gives you the streamlined appearance of the De Luxe model with plus features eliminated to make it available at a lower price. It is equipped with the standard Lovell safety wringer, C.G.E. activator, and dependable mechanism. The tub is enamel and the exterior finish is lustrous white enamel. Available with, or without, pump as desired. Operates on 120 volts.

**MM9** . . without pump. **MM9P** . . with pump.

### STANDARD

#### MS9—

Capacity, 9 pounds of dry clothes.

This standard model will give you years of fine washing service at a moderate cost. It is equipped with the standard Lovell safety wringer, C.G.E. activator, and dependable motor. The tub is aluminum with short skirt and legs spot-welded for strength. Available with, or without, pump as desired. Operates on 120 volts.

**MS9** . . without pump. **MS9P** . . with pump.

### DAILY DIPPER

#### M201—

This attachment, available for any Canadian General Electric model, doubles the usefulness of your C.G.E. washer. The lightweight, 2½ gal. aluminum tub has its own miniature agitator, fits on the large agitator post. It is especially convenient for diapers, baby clothes, lingerie, lace fabrics and woollens. Also useful for starching or sterilizing. When you are ready for the big weekly wash you simply slip the Daily Dipper off the activator post, replace the large activator and you are ready for a full-sized wash.

## *Locomotive*

#### L75P—

Capacity, 9 pounds of dry clothes.

Tub: Extra large, modern porcelain enamelled tub with sediment zone. Exterior finished in gleaming baked enamel. Spring-loaded castors keep washer level on uneven floor surfaces.

Wringer: Lovell type with quick-acting safety release.

Agitator: New approved plastic agitator with standing side control lever.



Mechanism: Equipped with ¼ horsepower motor Operates on 120 volts.

Extra: Available with automatic pump and hose for fast, convenient emptying, or, heater attachment which is the answer to your hot water problem. You fill the machine to the water-line before going to bed at night and the water is heated by the Electro-Therm unit to correct laundry temperature by morning.

**L75** . . without pump or heater.

**L75P** . . with pump. **L75H** . . with heater.

**MD9P**



**M201**



**MM9P**



**MS9**

**L75P**

*Every appliance sold by Your Hydro is guaranteed*

*Nineteen*



# LAUNDRY AIDS

*Westinghouse*



**C9P**

**A9P**



**43**

**192N**



**300**

## **C9P**

Capacity: 7 pounds of dry clothes.

The quality of engineering embodied in this model assures years of trouble-free performance.

Tub: All steel, heavily enamelled in white porcelain, as smooth and clean as a china dish. Tub lid also enamelled inside and out.

Wringer: The new Lovell Control-O-Roll safety wringer locks into position automatically. A gentle push on the frame stops the rolls and swings the wringer to the next operating position. Also has the Lovell "Feather Touch" instant safety release. Adjustable screw is clearly marked with correct pressure for each type of material.

Gyrator: The "Cushioned - Action" Bakelite gyrator will not corrode or change color and is not affected by water, soap, or detergents. It remains smooth as silk.

Mechanism: The Westinghouse motor is equipped with the exclusive "Sentinel of Safety" which protects the mechanism against damage by overloading, ends the danger of burnt-out motors. Operates on 120 volts.

Available with, or without, automatic pump which empties the tub in 90 seconds, eliminating pail lifting and spilling water.

**C9** . . without pump.

**C9P** . . with pump.

## **A9P -**

Capacity: 7 pounds of dry clothes.

This model is another great washer with all the proven Westinghouse features except the automatic Control-O-Roll. However, it has the Lovell instant "Feather-Touch" safety wringer release, plus its own safety feature which is the interlocking of the roll control and wringer position guide so that, to change the wringer position, you must first stop the rolls. It is also equipped with a white porcelain enamel tub, smooth Bakelite gyrator, and exclusive "Sentinel of Safety" to protect motor against overload. Operates on 120 volts. Available with or without convenient automatic pump.

**A9** . . without pump.

**A9P** . . with pump.

*Royal*

## **43-**

Capacity: 9 pounds of dry clothes.

Tub: Smooth white enamel inside and out.

Wringer: Lovell safety type with pressure adjustable to all weights and thicknesses of material.

Agitator: Designed to wash with maximum efficiency yet gentleness.

Mechanism:  $\frac{1}{4}$  horsepower motor especially designed for durability.

The low price offers exceptional value.

*Gainaday*

## **192N-**

Capacity: 9 pounds of dry clothes.

Tub: Easily cleaned porcelain enamel with light weight aluminum cover.

Wringer: Gently squeezes water out of clothes without breaking buttons. Has adjustable pressure control, full length instant release and convenient reset lever.

Agitator: Scientifically designed to prevent tangling, ensures active water action at top as well as bottom of tub.

Mechanism: Heavy duty  $\frac{1}{4}$  horsepower motor. Operates on 120 volts.

Available with or without pump.

**192N** . . without pump.

**192NP** . . with pump.

*Gainaday Rotary Gladiron*

## **300-**

With this electric ironer you can sit down to iron everything—flatwork, pyjamas, shirts—faster, easier, with a smooth, expert finish. It plugs into a standard electric outlet, and operates easily by knee control. The "Gladiron" roll steps inside the sleeves, provides a firm, resilient padded ironing surface. The Dialomatic control gives a choice of 20 heat positions from fine silks to heavy linens. Table extension wings provide ample working space. When in folded position it may be stored away in  $1\frac{3}{4}$  square feet. Has attractive, gleaming white, enamel finish. Operates on 120 volts. Full instructions show, step by step, how easy ironing can be.

# VACUUM CLEANERS


## *Magnetic*

### T-12—

This cylinder type home cleaner, including attachments, will make cleaning one of your easiest household tasks. It is so versatile and easy to operate . . . a complete sanitary cleaning tool.

Lightweight steel cylinder in grey enamel has smartly streamlined appearance. Dirt easily emptied by removing clipped-on metal cap and dumping the cloth bag. Driven by a powerful  $\frac{3}{4}$  horsepower ball-bearing motor, air cooled, permanently lubricated. Attached 20-foot cord and plug. Operates on 120 volts.

Deluxe cleaning attachments included with cylinder are: swivel hose with curved hand grip attached to hose; 20 inch extension wands; rug nozzle with floating brush that adjusts itself to any rug thickness; upholstery attachment for fine fabrics; floor polisher pad; dusting brush for moldings, lamp shades, and drapes; crevice tool for radiators, furniture, baseboards; liquid sprayer for wax or disinfectants; germ trap mounted in cleaner helps purify the air.



**T-12**

## *Canadian General Electric*

### CVF84—

This modern cleaner offers an efficient combination of brush beating action to shake loose dust, dirt and grit, together with a powerful suction to whisk these materials into the cleaner bag.

Equipped with: Streamlined light weight aluminum body to reduce cleaning fatigue; dirt-spotter light to illuminate dark corners and under furniture; "Vac-Juster" for convenient adjustment of cleaner to any rug pile; "Toe-Tip Tilt Lock" makes it easy to brush or comb rug fringe or clean under furniture; accordion top bag with wide opening for easy emptying; dependable air-cooled, self-lubricating motor; built-in condenser to eliminate radio interference; permanently attached cord and plug. Operates on 120 volts. An attachment set for extending the usefulness of your C.G.E. cleaner is available as extra equipment and includes: Long flexible hose; extension wands; upholstery nozzle; slim crevice tool; round utility brush for dusting; oval brush for ceiling, floors, and walls; liquid sprayer for paints, insecticides; demothrer with dichloride crystals and belt tool. Valuable extra: a floor polishing brush is available as a valuable extra.

**CVF84** . . Vacuum cleaner only

**CA84A** . . Attachment set.

**17253** . . Floor polishing brush.



**CVF84**

**CA84A**

**17253**

### CVT-94A—

Whether you are housecleaning from cellar to attic or doing day-to-day housework, the C.G.E. Deluxe cylinder type cleaner will make your task easier. It is light in weight, perfectly balanced for easy carrying. Powerful motor. Permanently attached cord and plug. Operates on 120 volts.

Complete with attachments for every need from floor to ceiling: hose with curved grip, extension wands, rug nozzle, wall cleaning nozzle, upholstery nozzle, dusting brush, crevice tool, moth proofing tool and crystals and liquid sprayer.



**CVT-94A**


## Westinghouse Hand Vacuum

### VH-2-

This new Westinghouse Hand Vacuum with its powerful suction and motor-driven, spring mounted brush makes light work of housecleaning. It will quickly remove dust, dirt and lint from upholstery, drapes and car interiors. Weighing approximately four pounds, it requires practically no effort to operate. A light weight handle converts your hand vacuum into a floor vacuum for cleaning rugs and carpets. Operates on 120 volts.

**VH-2** . . Vacuum without handle.

**VHC-2** . . Handle for above.



**VH-2**

## Royal

There are two popular Royal Upright Vacuums

### 159 -

This deluxe model has a special headlight for illuminating dark corners.

Other features are: a high speed rugged motor with self lubricating bearings, efficient motor driven metal covered brush, patented wide hinge easy emptying bag of heavy dust proof fabric, finger-tip switch, comfortable hand grip, large easy running wheels. Operates on 120 volts.

### 155 -


The second Royal model is equipped with a three-position metal covered revolving brush, positive nozzle adjustment for rugs of different thicknesses, powerful motor with self lubricating bearings, double wheels in the rear to prevent tipping, polished aluminum finish, comfortable hand grip, convenient trigger switch, long super service cord. Operates on 120 volts.

### A -

The usefulness of your Royal vacuum is completed by an attachment set which is available as an extra and includes: two metal extension tubes, liquid sprayer, crevice tool, upholstery nozzle, and dusting brush.



**159**



**A**

### PVT-94A-


## Premier

Lightweight cleaner with streamlined steel cylinder and permanently lubricated motor. Convenient toe tip switch turns cleaner on and off. Powerful  $\frac{3}{4}$  horsepower motor. Permanently attached cord and plug. Operates on 120 volts. Cleaning tool attachments supplied with this cleaner are: two extension wands; rug cleaning nozzle; nozzle brush for walls and auto coverings; upholstery nozzle; dusting brush; crevice tool; moth-proofing tool and crystals; liquid sprayer.

### PVT-94A



## Royal Cylinder Cleaner




**258**

### 258 -

This model is a powerful, smooth running efficient vacuum cleaner of lightweight steel with chrome trim. Glides easily on metal runners. Permanently attached 24 foot cord and plug. Operates on 120 volts.

Attachments included are: flexible hose with curved grip; two extension wands; all-metal furniture nozzle; wall nozzle; crevice tool; dusting nozzle; sweep-action rug nozzle brush; buffer pad for floor polishing; sprayer for demothing and dispenser for moth crystals.



**290**

### 290 -

Here is a vacuum cleaner that is new, practical . . . a streamlined beauty! The powerful motor is enclosed in a bright red metal case with easy-to-clean chrome trim. Glides easily on metal runners. Permanently attached 24 foot cord and plug. Operates on 120 volts.

Attachments included are: flexible hose with curved grip, two extension wands, all-metal furniture nozzle, wall nozzle, crevice tool, dusting tool, sweep-action rug nozzle brush, buffer pad for floor polishing, sprayer for demothing and dispenser for moth crystals.

# FLOOR POLISHERS FOR EASY WAXING

The back-breaking job of polishing floors by hand or with a clumsy, weighted brush is a thing of the past. With an electric polisher floors are polished quickly, effortlessly, and efficiently.



CS-11



H8C



PT-05

## Canadian General Electric

### CS-11—

With this easily portable, 16 pound polisher, floors receive a superb gleaming finish in just a few minutes. All you do is guide the polisher lightly with one hand. Two 5½ inch vertically mounted brushes whirl around in opposite directions 10 times per second. As the brushes rotate, they flare out, making it possible to polish into corners. Snap-on buffing pads give that extra high polish. Metal body and handle in two-tone, light and dark green finish. Attached 18 foot cord and plug. Operates on 120 volts.

## Johnson's Beautiflor

### H8C—

This polisher has a 6 inch horizontally mounted brush. Is easily stored in upright position. All metal body and handle finished in brown enamel. Complete with long attached cord and plug. Operates on 120 volts.

## Premier

### PT-05—

This polisher is equipped with two 5½ inch vertically mounted brushes of selected fibre. Finger-tip pull underneath for easy removal. Lamb's wool buffing pads. Trigger-type switch conveniently located at finger tip for easy operation. Smartly finished metal body of grey and maroon enamel.

## TORCHIERES

### G5

This attractive torchiere has a smartly styled bronze-colored standard and base. Has decorative 14 inch reflector and is equipped with three-way switch, 100-200-300 watt bulb. Cord and plug. Operates on 120 volts.

Choice of base includes bronze base with rope design or heavier base with genuine onyx insert.

MODEL 101 . . . Base with rope design.

MODEL G-5 . . . heavy bronze base with decorative onyx insert

## TRILIGHTS

### 101—

Two models of trilights are available, either of which would be an attractive addition to any living room.

Both models have bronze-colored finish on standard, base and candle arms, equipped with three 25 watt bulbs controlled by three-way switch. A second three-way switch controls the 100-200-300 watt bulb. Cord and plug included. The 101 model has an all-bronze finished base with rope design and rayon lamp shade nicely trimmed.

The G-5 trilight has a heavier base with insert of genuine onyx and easily cleaned plastic lamp shade in natural color and is attractively trimmed.

MODEL 101 . . . base with rope design.

MODEL G-5 . . . heavy bronze base with decorative onyx insert.

G5

101




# AN ELECTRIC FOOD MIXER . . .

## *The "Mixwell"*

*by Dormeyer*

MODEL 5000



The new "MIXWELL" offers amazing "VARISPEED" control. The 10 speeds provide a mixing speed for every purpose . . . from mashing potatoes to high-speed grinding. This mixer is finished in gleaming white enamel with black trim. Attachments include: adjustable stand, two glass mixing bowls, electric juicer, strainer, chrome nickel beaters, meat grinder and a new idea-packed recipe book. The "MIXWELL" is easy to use, easy to clean, portable for use anywhere. You'll appreciate its modern styling and all-around efficiency. For use on 120 volts, cord and plug are included.

A few only available at a special low price.

MODEL 5000

## *The "Mixmaster"*

*by Sunbeam*

MODEL 10



MODEL 10

The outstanding "MIXMASTER" features the "MIX-FINDER DIAL" for easy selection of the speed required. All speeds are plainly shown on the bakelite dial. An automatic bowl control turns the bowl for perfect, even mixing. The beaters are automatically ejected by simply twisting the handle . . . there is nothing to unscrew. Included is the automatic juice extractor which gives you fruit juice with or without the pulp. The "MIXMASTER'S" portability enables you to work in utensils on the stove. The powerful new motor is equipped with a patented governor control. Finished in gleaming white enamel with lustrous black bakelite trim and handle. Operates on 120 volts. Cord, plug, juicer and strainer are included.

# FOR BETTER BAKING RESULTS . . .

## *Westinghouse*

### **FC-2—**

It mixes, it beats, it blends! Any mixing job is simple with the new Super Powered Westinghouse food mixer.

The motor is a full  $\frac{1}{8}$  horsepower, controlled by a 20 speed control knob for accurate variation of speeds. All motor bearings are packed with sealed-in grease for long life lubrication . . . does not require oiling. The large, webbed, wide blades assure smooth mixes. The bowl turntable is adjustable for the position of the beaters. You can take the mixer and power unit right off the stand and use it to whip potatoes etc. on the stove, if you wish.

Complete with two pyrex bowls, cord and plug. Handy fruit juicer is available at extra cost. Operates on 120 volts.

**FC-2 . . . Mixer.**

**FCJ-2 . . . Juicer.**



**FC-2**

## *The "Mixette"*

### **JM—**

Here is a small food mixer that does a full sized job of beating, mixing, and blending. It has three tested speeds. The hand that holds it sets the speed leaving the other hand free to hold or adjust the bowl. Weighs only 2½ pounds yet it is powerful . . . well balanced to avoid wrist strain. Individual beaters snap out for easy cleaning. Powered by a sturdy motor. Finished in white baked-on enamel with grey bakelite handle. For use in any bowl. Comes complete with handy hook to hang it on the wall. Cord and plug. Operates on 120 volts.



**JM**

## *Hamilton Beach*


### **G—**

The new Hamilton Beach food mixer offers 10 tested speeds covering every mixing purpose. The Mixguide magnifies the reading for easy and quick selection.

The chrome plated beaters are mounted on a single protected unit . . . easily removed for cleaning. Finger-tip bowl control shifts the bowl while beaters are turning. Juice extractor has a strainer to free juices of coarse pulp. It is detachable from the base for easy portability. Finished in gleaming white porcelain enamel with black bakelite handle. Comes complete with two pyrex bowls, handy drink mixer. Cord and plug. Operates on 120 volts.



**G**



## IRONS . . .

**A—WESTINGHOUSE STREAMLINER:** Personal Speed Settings of "Fast", "Medium", and "Slow" linked with each fabric setting. Smart in appearance, weight only 3 pounds. Even heating 1000 watt element. **IHD2**

**B—RENFREW CANADIAN BEAUTY:** Fully modern automatic iron, thermostat controlled. Six fabric positions on an easy-to-read dial. Insulated black bakelite handle with thumb rest. Weight 3 pounds only. 1,000 watt fast heating element. **595**

**C—MORPHY-RICHARDS:** A quality, fully automatic, low-priced iron. The tell-tale light shows when the iron is ready for use. **A-4**

Gleaming chrome finish and bevelled sole plate fits under buttons. British-made, 4½ pounds. Has a 1,000 watt heating element. **CCA-10**


**D—MARCONI FEATHERLINE:** A really new full size automatic iron. Convenient fabric dial. Weight only 3½ pounds. Smartly designed folding handle for easy storage when travelling. Travelling case in heavy suede felt also included in the very low price. Fast 1100 watt heating element. **C-103**

**E—SUNBEAM IRONMASTER:** Automatic, streamlined iron. Dial the fabric to be ironed, thermostat control maintains the heat... Air-cooled wrist resting handle. 1,000 watt element. Weight only 3½ pounds. **A-4**

**F—GENERAL ELECTRIC COMBINATION IRON:** Use it as a dry iron or push a button and convert it into a steam iron. Weight only 4½ pounds. Water capacity: ¾ cup. Equipped with Calrod 1,000 watt element, air-cooled handle, double thumb rests, double button nooks, and dial-the-fabric indicator. **F-90**

**G—GENERAL ELECTRIC FEATHERWEIGHT:** Automatic iron with the fingertip fabric dial, set-in handle. Calrod 1,000 watt element. Button nooks, double thumb rests on the air-cooled handle and temperature indicating light. **F-80**

**H—SILEX STEAM IRON:** This duo-electric model, irons instantly with either steam or dry heat by simply flipping a switch. Automatic heat control. **SSA**



## TOASTERS . . .

**J—GENERAL ELECTRIC STREAMLINED:** Two slice turnover toaster of exceptional value, ruggedly constructed, chrome finish, 475 watt element. Attached cord set. **T-19**

**K—DELTA POP-DOWN:** With this two slice automatic toaster you set indicator for shade desired, press handle, insert bread and toast drops down when ready. 940 watt element. **280**

**L—GENERAL ELECTRIC DELUXE:** Two slice automatic toaster has built-in switch. Turn handle either way to a horizontal position and the bread drops down to toasting position and the current goes on. When handle is returned to the vertical position toast is raised and current turns off. Attached cord set. 825 watt element. **T-22**

**M—THE TOASTMASTER:** Automatic pop-up toaster designed in lustrous chrome. Flexible timer assures uniform toasting. Toast-Taste indicator permits you to select the shade of toast desired. Oven type construction keeps toast warm. Attached cord set, 1200 watt element. **1B14**

**N—SAMSON AUTO-FLIP:** Two slice toaster, moderately priced. Lowering trays turn toast automatically. 500 watts, detachable cord set included. **5053**

**P—MORPHY-RICHARDS POP-UP:** Two slice automatic toaster of famed British craftsmanship. Set indicator at shade of toast desired, insert bread, press handle to lower rack, toaster does the rest. Attached cord set. 1250 watts. **TA-1**

**Q—GENERAL ELECTRIC TURNOVER:** Two slice toaster, sturdily built. Turns the

bread automatically when the sides are lowered. 650 watts. Cord and plug supplied. **T-12**

**R—RELANCE TURN-O-MATIC:** Four slice toaster for toasting homemade bread. Detachable cord set. 660 watt element. **640**

**S—WESTINGHOUSE TURNOVER:** Two slice toaster in streamlined design. Lowering trays turn toast automatically. Chrome finish. 500 watt mica element. Attached cord set. **TT-12**

**T—SUNBEAM RADIANT CONTROL:** Automatically adjusts to any thickness of bread. Drop bread in slots, toaster automatically turns on, bread is lowered to toasting position. Thermostat shuts toaster off and bread rises silently . . . no noise. Attached cord set. 1200 watt element. **T20**



## COFFEE MAKERS

**A—SUNBEAM COFFEE MASTER:** Set it and forget it! Shuts itself off when coffee is done . . . then resets itself to keep the coffee piping hot . . . automatically. Modern design, chrome finish, heating element in base. Cord and plug included. Operates on 120 volts. **C-30**

**B—MERCURY:** Silex glass coffeemaker equipped with combination upper bowl cover and bowl holder, Silex Lox-in glass filter. Glass bowls by Pyrex. **RK8B**

**C—DALLAS:** Silex glass coffeemaker. Choice of red or yellow trim with matching plastic cover and table mat, cloth filter. **GWK-8Y** . . . yellow **GWK-8R** . . . red.

**D—BRETTON:** Silex coffeemaker. Cloth filter and dippex measurer are included.

Choice of ivory or black bowl covers.

**TBK8B** . . . with black cover.

**TBKII** . . . with ivory cover.

**E—MANHATTAN:** Silex glass coffeemaker. Extra cloth strainers and dippex measurer are included. Glass bowls by Pyrex.

**MMK8B**

**F—PHOENIX:** Silex glass coffeemaker. Colored plastic upper bowl and decanter covers, plastic buffet tray, pop-up handle bowl release, cloth filter. Comes in red and yellow.

**KWA-8Y** . . . yellow **KWA-8R** . . . red.

**G—OPAL:** Coffee percolator in chrome plated copper. Six cup, shuts itself off when coffee is ready, makes light, medium, or dark coffee as desired. Keeps coffee hot, 400 watt heating element. **PC1000**

## KETTLES

**H—RADIANT:** Quick boiling, fully automatic, shuts off if it boils dry. Handle, feet, and space under kettle remain cool when kettle is boiling. 1320 watt element. Capacity: approximately one-half gallon. Attached cord set. **B**

**J—GENERAL ELECTRIC:** Ruggedly constructed, Calrod 1500 watt heating element, shuts off automatically if it boils dry. Detachable cord and plug. **K-42**

**CGE SCALE REMOVER:** Recommended to loosen scale formation from electric kettles. **SR**

**K—SILEX COFFEE STOVE:** 520 watt heating stove for all glass coffeemakers. Complete with cord and plug. **DS8B**

**L—LOX-IN FILTER:** Silex glass filter rod and spring, easily kept clean. **L1G**



## WAFFLE IRONS

**M—BERSTED:** Features reliable heat indicator, aluminum grids with overflow groove, 600 watt element, detachable cord and plug. **250**

**N—BERSTED:** Combination waffle iron and sandwich toaster. Includes two sets of grids. Heat indicator, 750 watt element, detachable cord and plug. **351**

**P—WESTINGHOUSE:** Streamlined design in lustrous chrome finish. Automatic browning control cooks waffles to the desired shade. Attached cord and plug. **WFD2**

**Q—SUNBEAM WAFFLE BAKER:** Has 80-inch over-all baking area. Makes four waffles at one time. Red signal light indicates when heat is correct and when waffles are

done. Finished in lustrous chrome. Cord and plug included. **W-2**

**R—HANKSCRAFT BABY BOTTLE WARMER:** fully automatic, shuts off when water boils away, keeps baby's milk at the correct feeding temperature. Made of porcelain. **775**

**S—REMINGTON SHAVER:** handsome shaver has ivory plastic body, four shaving heads, removable guard, leather case, detachable cord and plug. Operates on 120 volts. **78-B**

**T—SCHICK SHAVER:** Smartly styled, has ivory plastic body, dual shaving heads, new motor with high speed bearings, "stop-start" switch, "whisk-it" for catching clippings. Comes in zippered leather case. Detachable cord and plug. Operates on 120 volts. **400**

**U—HANKSCRAFT EGG COOKER SET:** Boils, poaches, or scrambles four eggs at a time. Shuts off when eggs are done. Included are poaching dish, metal tray and four egg cups. Egg cooker has porcelain base with chrome cover.

**815** . . . eggs cooker only.

**8151** . . . egg cooker, tray, and egg cups.

**V—SUNBEAM SHAVEMASTER:** Fits the palm of your hand. Extra large cutting surface and large single blade give fast, smooth shaves. Has self-starting motor, ivory plastic body, zippered case, cord, and cleaning brush. Operates on 120 volts. **W**

**W—SCHICK "20" SHAVER:** Has Hi-Velocity heads with high speed blades that give a smooth shave. Powerful motor has static suppressor to eliminate radio interference. Styled in plastic, non-slip grip. Has cord, plug, cord ring, headguard and Caddie case. Operates on 120 volts. **20**





## ... HEATING PADS ...

### C—Canadian General Electric

This practical heating pad has a smart washable terry cloth cover, zippered across the top for quick removal. Rubber lined for safety. Long rubber cord set with three heat switch. Operates on 120 volts. **Q-19**

### A, B, D, E—Samson

The Samson heating pads are available in a variety of pretty covers including a specially packaged model for gifts. They are

practical too, equipped with dome fasteners or zippers to enable easy removal of covers for washing. Rubber lined for safety and generously padded. Long silk cord with three-heat switch and plug included. Operates on 120 volts.

**5183**—Eiderdown cover with dome fasteners.

**5186**—Handsome pure wool cover with dome fasteners.

**5187**—Quilted satin cover with zipper.

**5185**—Pastel embroidered satin cover with zipper and packaged in attractive box.

## ... CLOCKS ...

**F**—SESSIONS "PIERRE": This is a French chef kitchen clock with unique appeal. Self starting. Height 10½", width 7¼". **497W**

**G**—THE "GAYHOUR" by General Electric: . . . alarm clock styled in richly grained wooden case. Luminous hands and hour dots. Selecto-alarm lets you choose your wake up alarm tone, soft or loud. Height 4½", width 4¼". **7H162L**

**H**—SESSIONS DESK OR DRESSER: This desk, dresser, or table model clock is beautifully finished in mahogany or maple. Self-starting. Height 4¾", width 7½". **478W**

**J**—THE TELECHRON "ADVISOR": This clock blends with the color scheme of your kitchen. Color styled in two-tone blue, yellow, green or red dial with white case. The pierced numerals match dial colors. Height 6¼", width 6¼". Please state color. **LK15**

**K**—THE GENERAL ELECTRIC "EPICURE": This smartly styled kitchen clock features large easy-to-read dial, plastic case. Available in white, ivory, red, or green. Size: 7¼" square. Please state color. **2QH2**

**L**—TELECHRON "TELEBELL": A popular alarm clock with rhythmic bell. Self-starting, smart ivory colored plastic case. Height 4", width 5". **7H155**

**M**—GENERAL ELECTRIC ALARM CLOCK: Large easy-to-read dial, shatterproof crystal, smart modern plastic case, luminous dial. Height 3¾", width 3¾". **LR12L**

**N**—TELECHRON "LITTLE TEL": An attractive yet low-priced electric clock with instant alarm. Ivory plastic case. Height 3½", width 4¼". **7QH1**

**P**—THE "DECORATOR" by Telechron: Kitchen clock, color styled in yellow, red, aqua, or black with removable snap-in matching color bands. White plastic case with cut-out numerals. Height 7½", width 7½". Please state color. **LK11**

**Q**—"INFORMER" by General Electric: This clock is beautifully styled in a modern ivory plastic case. It features easy-to-read, luminous hands and hour dots. Melodious bell alarm signal. Height 4¾", width 5". **7H174L**

**R**—WOODFORD SMITH MANTEL CLOCK: This walnut finished clock is gracefully designed for your living room. **WS**







**A**



**B**



**C**



**E**



**D**



**F**

## AUXILIARY COOKING AIDS

**A—TUDHOPE AUTOMATIC RANGETTE:** Heavy, ruggedly constructed with automatic oven heat control switch. Body finished in white enamel and cooking surface of easy-cleaning chromium plate. Oven inside of aluminized steel. Dimensions: 25¼" wide, 17" deep, 25" high. Two 7¾" surface elements, 1500 watt capacity. Complete with cord and plug. Operates on 120 volts. MODEL No. 130-52.

**B—TUDHOPE AUTOMATIC RANGETTE:** Smartly styled in gleaming white enamel. Cooking surface is of chromium plate. Oven is of aluminized steel. This rangette is equipped with automatic oven control. Surface elements include one 7¾", 1500 watt element and one 5¾", 900 watt element. 1500 watt capacity. Complete with cord and plug. Operates on 120 volts. MODEL No. 122-52.

**C—SUPERIOR ELECTRIC TABLE COOKER:** This handy table cooker is convenient and economical. Just plug it in . . . no special wiring required. Cooking top is of chromium plate, body of baked-on enamel, and oven of galvanized steel. Two surface elements (one 7¾" element with two heats, 1500 watt high and 660 watt low, and one 5¾" 660 watt element) are controlled by

a single selector switch. The 750 watt oven element is controlled by a snap switch. Oven size: 14¼" x 8¼" x 11". Outside dimensions: 21¼" wide, 11¾" deep, and 14½" high. Maximum load 1500 watts. Operates on 120 volts. MODEL No. 93CF.

**D—TUDHOPE HOTPLATE:** Excellent two-burner. Choice of finish, either ivory baked enamel or white enamel body with chrome cooking top. Equipped with one 7¾" plate 1500 watts and one 5¾" plate 750 watts. Controlled by one selector switch. Complete with cord and plug. Operates on 120 volts. 355-43—ivory enamel finish.

355-13—Chrome and white enamel finish.

**E—REDI-HEAT HOTPLATE:** Smartly styled single burner, 1320 watt element. Enamel finished, three heat switch. Complete with cord and plug. Operates on 120 volts. MODEL No. A-710.

**F—TUDHOPE HOTPLATE:** An outstanding two-burner. Finished in ivory baked enamel. Equipped with one 7¾" plate 1000 watts controlled by a three heat switch, high, medium, and low; and one 5¾" plate 500 watts controlled by an on and off switch. Complete with cord and plug. Operates on 120 volts. MODEL No. 353-43.

## AIR HEATERS


**G—SUPERIOR PORTABLE ADJUSTABLE SPACE HEATER:** Modern design with adjustable reflector. Frame is of modern seamless brass, attractively finished in chrome plate. Rust-proof hi-heat aluminum ends. Fast heating 1000 watt element. Complete with cord and plug. Operates on 120 volts. MODEL No. 342.

**H—SUPERIOR PORTABLE ROUND ELECTRIC HEATER:** Convenient and safe with heavy egg shaped cast base. If heater over- turns, it comes to rest on the back, eliminating damage to rugs, floors, etc. Adjustable 11-inch copper plated steel reflector with ivory baked paint enamel on base and back. Complete with cord and plug. Operates on 120 volts. 660 watts. MODEL No. 173.


**J—SUPERIOR PORTABLE ELECTRIC HEATER:** This Superior heater is made in two sizes, 660 and 1000 watts. The elements are removable without the use of tools. Heats quickly with the copper plated steel reflector intensifying heat. Ivory baked paint enamel finish. Complete with extension cord and plug. Operates on 120 volts.

MODEL No. 107-AB . . . 660 watts  
MODEL No. 117-AB . . . 1000 watts


**K—TUDHOPE PORTABLE SAFETY ELECTRIC HEATER:** Fast heating enclosed 1000 watt black heat safety element. All steel body in mottled brown finish. Complete with convenient carrying handle. Use in wall or base receptacle only. Complete with cord and plug. Operates on 120 volts. MODEL No. 20.




**G**




**H**





**J**



**K**




**H267**




**100-52**



**1046**



**60T10**



**60T5**

## FANS . . .

### **H267—**

**TORCAN PORTABLE HEATER-FAN:** Combination heater and fan with dual use controlled by a switch at the top. Adjustable to direct air flow. Useful as drier, heater and air circulator. Silent operation with fast heating 1320 watt coil element. Complete with cord and plug. Operates on 120 volts.

### **1046—**

**SAMSON RUBBER BLADED:** This fan is styled in tan, hard baked enamel with matching 10 inch tan rubber blades. Adjustable for straight blow or oscillating action. Operates on 120 volts.

### **60T10—**

**TORCAN OSCILLATING:** Streamlined in design, felt padded cast base, also suitable for wall mounting. Self-oiling motor designed to avoid radio interference. Available in three sizes. Attached cord set. Operates on 120 volts.

**60T7—**10-inch oscillating.

**60T8—**10-inch, two speed, oscillating.

**60T10—**12-inch, two speed, oscillating.

### **60T5—**

**TORCAN STRAIGHT BLOW:** This streamlined fan has grey crackle finish. Motor is self-oiling and specially designed to eliminate radio interference. Available in two

sizes. Attached cord and plug included. Operates on 120 volts.

**60T5—**8-inch straight blow.

**60T6—**10-inch straight blow.

## HEAT LAMPS . . .

These heat lamps are very versatile around the home and farm. Ideal for the chicken, pig, or lamb brooder, protecting plants from frost, drying paint, drying hair, or for muscular pains. There are two types of heat lamps.

**STANDARD HEAT LAMP:** inexpensive and economical, 250 watts, fit any standard socket.

**RED BOWL HEAT LAMP:** the Pyrex construction gives extra protection against splashing water, etc., the red bowl reduces glare, best for brooder use, 250 watts, fit any standard socket.

## AIR CONDITIONER

### **100-52—**

This practical Tudhope air conditioner has an all metal cabinet of rust-proof material and high-baked wrinkle enamel finish. It washes, humidifies, deodorizes, and circulates approximately 10,000 cubic feet of air per hour. Tank capacity of 3½ gallons. Equipped with three washable filters. Causes no radio interference. Controlled by on and off switch. Consumes less current than a 40 watt light bulb. Cabinet size: height 20", width 14½", depth 13". Operates on 120 volts.



## *The Waters Conley Home Pasteurizer Protects Your Family's Health*

Pasteurize all milk consumed by your family. Protect them from undulant fever, tuberculosis, typhoid fever, and all milk borne diseases. You can pasteurize milk right in your own home with this handy pasteurizer. Constructed of drawn aluminum, it will pasteurize up to one American gallon of milk. The thermostat holds the milk in the correct temperature range until the timer automatically turns the heat off and starts the buzzer when pasteurizing is complete. Pasteurized milk stays fresh longer and it does not have the "cooked" taste milk develops when it is boiled.

Its light weight and handy size make for easy storing. White stain-resistant enamel body and easy-to-clean bucket assures the ultimate in cleanliness and safety. Size: 9½" x 14¼" over all. Operates on 120 volts.

# ELECTRIC FARM AIDS

## WATER HEATERS

**A—MOFFAT TROUGH HEATERS:** This appliance was designed especially to overcome the problem of watering stock during the winter months in Manitoba. It consists of a 500 or 1000 watt element and switch box . . . does not burn out if the trough is accidentally left empty. A plan and instructions for insulating trough and installing element are supplied with each heater. Operates on 120 volts.

**T-5012** . . . 500 watt heating element.

**T-1012** . . . 1000 watt heating element.

**B DIAMOND WATER HEATER:** Heats water automatically and at low cost . . . modern, safe, dependable, economical. Tank is made of galvanized steel, efficiently insulated with fibreglass; outer jacket finished in gleaming white enamel. Water is heated by two immersion type elements. (Only one element is "on" at one time.) Available in two sizes: 40 gallons and 52 gallons.

**CR40GDM** . . . 40 gals., wattage: your choice of two 750 watt or two 1000 watt elements.

**CR52GDM** . . . 52 gals., wattage: two 1000 watt elements.

**C—SUCCESS WATER HEATER:** Immersion type, for installing in household water tanks. Has built-in thermostat . . . set it for temperature of the water desired. Operates on 120 volts. Available in three sizes.

**501T** . . 500 watt. **751T** . . 750 watts. **10001T** . . 1000 watts.

**D—GENERAL ELECTRIC IMMERSION TYPE HEATER:** For installing in enclosed household water tanks of standard domestic size for hot water requirements. Operates on 120 volts. Available in three sizes.

**500** . . 500 watts. **750** . . 750 watts. **1000** . . 1000 watts.

**E—MOFFAT ELECTRO-PAIL:** This 1500 watt heater is designed to be attached to the wall. Heats water or feed quickly and automatically disconnects if pail boils dry. Handy for kitchen or barn. Your choice of red or white color. Operates on 120 volts. Wiring not included. **E-315-8**

**F—GENERAL ELECTRIC POULTRY WATER WARMER:** Boosts egg production by automatically maintaining poultry drinking water at about 50 degrees F. One warmer will take care of 100 to 250 hens. Cord and three-point grounding plug included. Special socket required. Operates on 120 volts. Available in two sizes:

**PW-5** . . 150 watts.

**PW-10** . . 250 watts.

## AUTOMATIC POULTRY LIGHTING SWITCH

**G—INTERNATIONAL REGISTER COMPANY INTER-MATIC TIME SWITCH:** This motor-driven automatic time switch is to control the lighting in poultry houses. It is recommended that it be used in morning only so birds roost by natural twilight. Lights are switched on and off automatically at selected time. Operates on 120 volts. **TS-60SP**

## THERMOSTATS

**H—CANSFIELD THERMOSTATS FOR WATER HEATERS:** These are designed to control domestic hot water installations. Temperature range from 80 degrees to 180 degrees F. Easily installed. Wiring not included. Operates on 120 volts. **T4W**

**J—PENN SURFACE MOUNTING THERMOSTAT:** For controlling the temperature of hot water installations for domestic use. This compact unit is easily replaced if damaged. Temperature range may be set to several positions. Installation and operating instructions included. Wiring not included. Operates on 120 volts. **420-WX**

## SOLDERING IRONS

**K—NORTHERN ELECTRIC SOLDERING IRONS:** Lightweight yet sturdy . . . designed for farm repair shops and all maintenance work. Features: wooden handle, super-flexible cord, removable copper tips made from commercial pure, drawn bar, copper rod. Operates on 120 volts. Available in two sizes:

**3138** . . 3/4" tip, 100 watts. **3158** . . 3/4" tip, 200 watts.

**L—GENERAL ELECTRIC SOLDERING IRONS:** Ideal for bench soldering; features durable chisel-shaped calorized tip protected from oxidation and corrosion; equipped with long lasting Calrod element, easy-grip plastic handle, and removable tip. Cord and plug included. Operates on 120 volts. Available in two sizes:

**GA200** . . 3/4" tip, 100 watts. **6A201** . . 1" tip, 200 watts.

## BATTERY CONDITIONERS

**M—GENERAL ELECTRIC BATTERY VITALIZER:** . . . charging rate a mere trickle to condition battery. Plugs into wall outlet and cigar lighter overnight. Operates on 120 volts. Important to state make of car. **6RS934**

**N—GENERAL ELECTRIC "OVERNITE"**


**BATTERY CHARGER:** . . . will charge battery without removal from car, truck, or tractor. Lightweight, can be shelf or wall-mounted or placed on garage floor. Ideal for the farm. Cord and plug included. Operates on 120 volts. Available in two sizes:

**6RS937A5—**  
6V, 12 amps, charges battery in 12 hours.

**6RS937A4—**  
6V, 7 amps, charges battery in 24 hours.



# ELECTRIC MOTORS . . . YOUR BEST HIRED HANDS



With the help of an electric motor, many tasks such as feed grinding, tool sharpening, and water pumping, become simple, effortless, operations. Your Hydro has motors of varying types and sizes and will help you choose the right motor for the jobs you want done electrically.

All motors and overload Thermal switches listed here are manufactured by the Canadian General Electric Company.

**A**—SPLIT-PHASE type motors are available in  $\frac{1}{4}$  horsepower capacity. They are not recommended where they must start heavy loads but are satisfactory on easily started machines such as washing machines, small grinders and churns.

**11F343BY**— $\frac{1}{4}$  h.p. split-phase motor, rubber mounted, 1725 r.p.m., operates on 120 volts.

**B**—SINGLE-PHASE CAPACITOR type motors are popular because they start well under medium heavy loads and create no radio interference. They are suitable for pumps, stokers, paint sprayers, meat grinders, and shop bench tools.

**11F372DY**— $\frac{1}{4}$  h.p. Capacitor motor, solid base, 1725 r.p.m., operates on 120 volts.

**11F106GY**— $\frac{1}{3}$  h.p. Capacitor motor, solid base, 1725 r.p.m., operates on 120 volts.

**11F801RY**— $\frac{1}{2}$  h.p. Capacitor motor, solid base, 1725 r.p.m., sleeve bearing, operates on 120 or 240 volts.

**11F801SY**— $\frac{1}{2}$  h.p. Capacitor motor, solid base, 1725 r.p.m., ball bearing, operates on 120 or 240 volts.

**11F800RY**— $\frac{3}{4}$  h.p. Capacitor motor, solid base, 1725 r.p.m., sleeve bearing, 240 volt operation recommended.

**11F800SY**— $\frac{3}{4}$  h.p. Capacitor motor, solid base, 1725 r.p.m., ball bearing, 240 volt operation recommended.

NOTE—All fractional horsepower motors up to and including  $\frac{3}{4}$  h.p., sold by Your Hydro, incorporate the valued feature of an overload protector with a manual reset. This eliminates the necessity of purchasing an overload thermal switch.

**C**—SINGLE-PHASE, REPULSION-INDUCTION type motors are most widely used for starting heavy loads. They are good general purpose motors for hay hoists, wood saws, and grain elevators.

**6F15**—1 h.p. repulsion-induction motor, solid base 1725 r.p.m., ball bearing, 240 volt operation recommended.

**6F16**— $1\frac{1}{2}$  h.p. repulsion-induction motor, solid base, 1780 r.p.m., ball bearing, 240 volt operation recommended.

**6F17**—2 h.p. repulsion-induction motor, solid base, 1780 r.p.m., ball bearing, 240 volt operation recommended.  
single shaft. double shaft.

**6F18**—3 h.p. repulsion-induction motor, solid base, 1780 r.p.m., ball bearing, 240 volt operation recommended.

IMPORTANT—The built-in type overload protector is not available for motors of 1 h.p. and over, with the result that an overload thermal switch is recommended for models 6F15, 6F16, 6F17, and 6F18.

## OVERLOAD THERMAL SWITCHES

**D**—

**CR1061**—

Overload Thermal Switch with one 9706G heater for 1 h.p., 240 volt, single-phase motor.

**E**—

**CR1062NIA**— $1\frac{1}{2}$ .


Overload Thermal Switch with two 81-D-626 heaters for  $1\frac{1}{2}$  h.p., 240 volt, single-phase motor.

**CR1062NIA**—2.

Overload Thermal Switch with two 81-D-629 heaters for 2 h.p., 240 volt, single-phase motor.

**CR1062NIA**—3.

Overload Thermal Switch with two 81-D-633 heaters for 3 h.p., 240 volt, single-phase motor.



71—

This lightweight portable saw is equipped with a 7" combination blade. It cuts to a maximum depth of  $2\frac{3}{4}$ " for a straight cut and 2" for a 45 degree cut. Gears and ball bearings are sealed in grease. Aluminum alloy housing makes for light weight and easy portability.

Features: trigger switch located in handle loop, bevel adjustment calibrated for 15, 30 and 45 degrees, the cooling system fan blows away loose sawdust from the cut, automatic blade guard, speed 5,000 r.p.m. Equipped with heavy duty cord and plug and 115 volt universal motor. Operates on 120 volts.


## The Mall Electric Saw

## The Mall Tool Kit

37000-149B

The home handyman will find this tool kit indispensable. It is one of the best in its price field. Performs all grinding, drilling, and polishing jobs around the home and farm. It is inexpensive to purchase and economical to operate.

Kit contains: one  $\frac{1}{4}$ " drill powered by an efficient high speed motor, attached heavy duty cord and plug; ten sanding discs for both wood and metal ranging from very fine to very coarse; one rubber backer for sanders; one package of buffing compound; one buffer for polishing metals; one polishing bonnet; one grinding wheel; one circular wire brush; twelve bits ranging from  $\frac{1}{16}$ " to  $\frac{1}{4}$ "; one paint stirrer; one bench stand for drill; one side handle for drill; and a handy enamelled carrying case. Operates on 120 volts.




**For Your Convenience Hydro  
Maintains Three Fully Equipped  
Repair Depots at  
Brandon - Portage la Prairie  
Winnipeg**

## CATALOGUE INDEX

---

Air Heaters.....	29, 30	Motors.....	32
Air Conditioner.....	30	Pasteurizer.....	30
Annex Heaters.....	11, 15	Ranges.....	10-18
Baby Bottle Warmer.....	27	Rangettes.....	29
Battery Charger, Vitalizer.....	31	Refrigerators.....	2-8
Clocks.....	28	Saw:.....	32
Coffeemakers.....	27	Soldering Iron:.....	31
Egg Cookers.....	27	Shavers.....	27
Fans.....	30	Switches; poultry time.....	31
Floor Polishers.....	23	Switches; motor overload thermal.....	32
Food Mixers.....	24, 25	Thermostat, water heater.....	31
Freezers.....	8, 9	Tool Kit.....	32
Heat Lamps.....	30	Toasters.....	26
Heating Pads.....	28	Torchieres.....	23
Hotplates.....	29	Trilights.....	23
Irons.....	26	Vacuum Cleaners.....	21, 22
Ironer.....	20	Waffle Irons.....	27
Kettles, Kettle Scale Remover ..	27	Washers.....	19, 20
Milk Coolers.....	9	Water Heaters, pail, poultry, tank, trough.....	31



TO SPEED SERVICE  
ALWAYS STATE YOUR

SECTION, TOWNSHIP,  
RANGE

WHEN WRITING  
YOUR HYDRO





PURCHASE AGREEMENT

THE MANITOBA POWER COMMISSION hereby sells and the purchaser hereby purchases and agrees to pay for the property as shown on the reverse hereof, complete with standard attachments and equipment, at the price and subject to and in accordance with the terms and conditions contained herein and/or set forth on the reverse hereof. At the time of delivery or shipment of said property, the serial number or numbers thereof, if any, shall be inserted on the reverse hereof by the Commission and such serial number or numbers shall be and become a part of this agreement as if it or they had always been inserted therein.

The deferred balance is payable as set forth on the reverse hereof and whether by charge account or by contract is to be billed to me with regular energy accounts where possible. The billing of any unpaid amounts hereunder with my energy account shall not operate by way of merger or in any way prejudice or affect the rights, remedies and powers of the vendor or its assigns under this contract. Interest is due after maturity of each instalment at 3 per cent per annum. If any instalment or payment is not paid at the time and place specified herein, the entire amount unpaid shall become due and payable forthwith and the whole amount shall accrue interest at 3 per cent per annum, and the purchaser will pay costs and expenses of collection and/or repossession, including Bailiff's and/or Solicitor's charge as prescribed by law, which amounts will be added to and become a part of the unpaid balance hereunder. All such monthly payments shall be made at the office of the Commission until its assigns shall give written notice to the purchaser to the contrary and thereafter at such place as its assigns shall designate in writing.

The title and ownership and right to possession in and to the said property shall not pass to the Purchaser until the entire purchase price and interest (and all costs and expenses as aforesaid) are fully paid in cash. Time is the essence of this agreement and if the Commission, its agent or its assigns deem itself insecure for any reason or if the Purchaser fails to make any of said monthly instalment payments as above specified all remaining instalments may be declared immediately due and payable by the Commission or by its agent and in the event of non-payment Purchaser agrees on demand to return the said property to the Commission or its assigns and the Commission or its assigns may without notice of demand and without legal process enter into any premises and take possession of the said property and make disposition thereof as may be deemed desirable and all payments made shall be retained as liquidated damages for the use of said property or said property may be sold with or without notice at public or private sale and the proceeds thereof less all expenses credited upon the amount unpaid and in either event as liquidated damages for breach of the contract Purchaser agrees to pay any deficiency plus all costs and expenses of collection and/or repossession as aforesaid and the waiver of any default shall not operate as a waiver of any successive defaults. Purchaser agrees that if this agreement be assigned assignee's rights shall be independent of any claim by Purchaser against the Commission. Purchaser further agrees to take good care of said property and to assume all risk and to be responsible for its loss by fire, theft or other casualty and agrees not to transfer any equity in the said property and not to remove the said property from the Purchaser's property as set out on the reverse side hereof unless written consent is first obtained of the Commission or its assigns.

It is understood and agreed that all rights and remedies hereunder are cumulative and not alternative.

IT IS UNDERSTOOD AND AGREED THAT NO OTHER AGREEMENT GUARANTY OR WARRANTY, VERBAL OR WRITTEN, EXPRESSED OR IMPLIED, SHALL LIMIT OR QUALIFY THE TERMS OF THIS CONTRACT.

(Purchaser's Signature)

(Post Office Address)


TABLE OF APPROXIMATE MONTHLY PAYMENTS

Unpaid Balance	6 Mo.	12 Mo.	Unpaid Balance	6 Mo.	12 Mo.
\$ 1.00	\$ .17	\$ .09	\$230.00	\$38.91	\$19.74
2.00	.34	.17	240.00	40.60	20.60
3.00	.51	.26	250.00	42.29	21.46
4.00	.68	.34	260.00	43.98	22.32
5.00	.85	.43	270.00	45.68	23.17
6.00	1.02	.52	280.00	47.37	24.03
7.00	1.19	.61	290.00	49.06	24.89
8.00	1.35	.69	300.00	50.75	25.75
9.00	1.53	.77	310.00	52.44	26.61
50.00	8.46	4.29	320.00	54.13	27.47
60.00	10.15	5.15	330.00	55.83	28.33
70.00	11.84	6.01	340.00	57.52	29.18
80.00	13.53	6.89	350.00	59.21	30.04
90.00	15.23	7.73	360.00	60.90	30.90
100.00	16.92	8.58	370.00	62.59	31.76
110.00	18.61	9.44	380.00	64.28	32.62
120.00	20.30	10.30	390.00	65.98	33.48
130.00	21.98	11.16	400.00	67.66	34.33
140.00	23.68	12.02	410.00	69.36	35.19
150.00	25.38	12.88	420.00	71.05	36.05
160.00	27.05	13.73	430.00	72.74	36.91
170.00	28.76	14.59	440.00	74.43	37.77
180.00	30.45	15.45	450.00	76.13	38.63
190.00	32.14	16.31	460.00	77.81	39.48
200.00	33.83	17.16	470.00	79.51	40.34
210.00	35.53	18.03	480.00	81.20	41.20
220.00	37.22	18.88	490.00	82.89	42.06
			500.00	84.58	42.92

EXAMPLE:

Your purchase amounts to \$339.00, less down payment of \$113.00=unpaid balance of \$226.00 to be paid over a 12 month period. Monthly payment for \$220.00 is \$18.88 plus monthly payment on \$6.00 which is 52c, making a total of \$19.40 to be paid each month.





# Catalogue FARM Prices

## ***Your Hydro's Farm Appliance Policy***

The prices listed herein are applicable only to merchandise sold to the Commission's farm customers in accordance with the established policy which allows farmers to purchase, for their own use, one of each type of appliance at a special price. Exceptions to this rule are motors and water heaters, which are unrestricted.

This policy originated in the recommendations of the Manitoba Electrification Enquiry Commission which was formed in 1942 to study the feasibility of a farm electrification programme in the Province. The chief problem to be solved was the high unit cost involved in building hydro lines to Manitoba farms which average only one-and-one-third farms to the mile. One solution recommended was that measures be taken to assure maximum use of power once it was available. In this connection the proposal was made that farm service should be conditional upon the purchase of a package of electrical appliances which could be obtained from the Manitoba Power Commission at a special price.

When Your Hydro began to implement the farm electrification programme in 1945, the postwar shortage of appliances made it impossible to carry out this policy of selling appliances in packages. The experience of the past few years has proven the advantages of the more flexible, more convenient, method of buying appliances individually. Consequently, effective June 1, 1950, the special price was applied to unit buying by farmers for a two-year period dating from the day a farm is connected to the Commission's electric system. Following this preferred period, regular list prices will prevail on all purchases made. Farmers served prior to June 1, 1950, have the privilege of making purchases at the special price until June 1, 1952.

The prices as quoted in this Price List are subject to change without notice and are f.o.b. the customer's closest railway station.

### **CREDIT RESTRICTIONS**

Credit terms as stated on our Order Form and Purchase Agreement have been relaxed so that you may now purchase appliances on deferred terms of 18 months rather than 12 months. Purchases to the value of twenty-five dollars (\$25.00) may now be made without a cash payment and charged to your electric service account.

*Appliances Listed by Page Number and Model*

**PAGE TWO—**

FM12PL .....	\$488.00
CHC118 .....	595.00

**PAGE THREE—**

JD-91 .....	419.50
DC-9 .....	435.00
SC-75 .....	335.00

**PAGE FOUR—**

MF-9 .....	399.00
MSD-8 .....	330.00

**PAGE FIVE—**

MSD-7 .....	325.00
MD-7 .....	315.00

**PAGE SIX—**

LHM .....	499.00
LSM .....	455.00
865B .....	360.00

**PAGE SEVEN—**

870 .....	380.00
768 .....	330.00
660C .....	295.00

**PAGE EIGHT—**

CHDT20M11 .....	799.00
HL105 .....	511.00

**PAGE NINE—**

HSF16 .....	725.00
KD21K .....	504.00
EMC261C .....	500.00
P-4 .....	335.00
P-6 .....	420.00
P-8 .....	465.00
P-10 .....	515.00

**PAGE TEN—**

1225-52 .....	499.00
1144-52 .....	330.00
1144C-52 .....	352.00
1164-52 .....	390.00

**PAGE ELEVEN—**

594 .....	272.00
594C .....	302.00
1054C-52 .....	280.00
1054-52 .....	259.00
1034-52 .....	233.00
5100 .....	87.50
5100WF .....	12.00

**PAGE TWELVE—**

B-14 .....	\$380.00
C-24 .....	365.00

**PAGE THIRTEEN—**

C-14W .....	345.50
A4M .....	240.00

**PAGE FOURTEEN—**

44E12 .....	320.00
14E10 .....	216.00
44E10 .....	285.00
72LT .....	42.95

**PAGE FIFTEEN—**

34E2 .....	242.00
62EM .....	18.95
86W .....	76.50
171-146C-1 .....	9.20
64E10 .....	310.00

**PAGE SIXTEEN—**

RD42 .....	449.00
RD41 .....	390.00

**PAGE SEVENTEEN**

RM41 .....	303.00
LMK-05A10 .....	16.75
RS41 .....	238.00

**PAGE EIGHTEEN—**

OM41 .....	310.00
171-146C-1 .....	9.20
GMLK .....	16.75
RS31 .....	200.00

**PAGE NINETEEN—**

MD9P .....	213.00
MM9P .....	187.50
MM9 .....	177.50
MS9P .....	166.50
MS9 .....	156.50
M201 .....	14.50
L75 .....	169.00
L75P .....	179.00
L75H .....	184.00

**PAGE TWENTY—**

C9P .....	182.00
C9 .....	173.00
A9P .....	162.00
A9 .....	153.00
43 .....	132.00



*Your Hydro—Use It*

192NP .....	\$178.00	N—5053 .....	\$ 8.50
192N .....	168.50	P—TA-1 .....	28.00
300 .....	151.25	Q—T12 .....	10.35
<b>PAGE TWENTY-ONE</b>		R—640 .....	10.85
T-12 .....	74.50	S—TT12 .....	9.50
CVF84 .....	83.50	T—T20 .....	40.50
CA84A .....	22.25	<b>PAGE TWENTY-SEVEN</b>	
17253 .....	10.50	A—C-30 .....	57.00
CVT94A .....	96.25	B—RK8B .....	6.60
<b>PAGE TWENTY-TWO</b>		C—GWK8Y .....	5.75
VH-2 .....	36.95	GWK8R .....	
VHC-2 .....	6.95	D—TBK8B .....	4.95
159 .....	83.50	TBK81 .....	
155 .....	73.50	E—MMK8B .....	4.10
A .....	21.00	F—KWA8Y .....	7.80
PVT94A .....	96.25	KWA8R .....	
258 .....	87.50	G—PC1000 .....	24.00
290 .....	99.50	H—B .....	12.50
<b>PAGE TWENTY-THREE—</b>		J—K42 .....	14.25
CS-11 .....	60.00	SR .....	.55
H8C .....	39.95	K—DS8B .....	5.75
PT05 .....	60.00	L—LIG .....	.75
G-5 Torchieri .....	29.95	M—250 .....	15.50
101 Torchieri .....	24.95	N—351 .....	20.75
G-5 Trilight .....	29.95	P—WFD2 .....	20.95
101 Trilight .....	24.95	Q—W2 .....	44.00
<b>PAGE TWENTY-FOUR</b>		R—775 .....	2.85
5000 .....	65.00	S—78B .....	24.25
10 .....	63.75	T—400 .....	25.50
<b>PAGE TWENTY-FIVE</b>		U—815 .....	5.25
FC-2 .....	55.75	8151 .....	8.60
FCJ-2 .....	6.35	V—W .....	31.50
JM .....	25.50	W—20 .....	28.50
G .....	56.25	<b>PAGE TWENTY-EIGHT—</b>	
<b>PAGE TWENTY-SIX</b>		A—5186 .....	7.40
A—IHD2 .....	13.75	B—5183 .....	6.55
B—595 .....	12.00	C—Q-19 .....	9.10
C—CCA10 .....	11.25	D—5185 .....	9.50
D—C103 .....	8.75	E—5187 .....	8.20
E—A4 .....	16.00	F—487W .....	7.95
F—F90 .....	23.75	G—7H162L .....	12.00
G—F80 .....	14.25	H—478W .....	11.50
H—SSA .....	24.00	J—LK15 .....	8.60
J—T19 .....	10.85	K—2QH2 .....	6.90
K—280 .....	29.95	L—7H155 .....	7.75
L—T22 .....	15.25	M—LR12L .....	7.65
M—1B14 .....	33.00	N—7QH1 .....	6.00
		P—LK11 .....	8.60
		Q—7H174L .....	10.80
		R—W.S. ....	13.75

*Prices Subject to Change Without Notice*

# **PAGE TWENTY-NINE**

A—130-52 .....	\$ 98.75
B—122-52 .....	81.00
C—93CF .....	31.00
D—355-43 .....	14.25
355-13 .....	15.50
E—A710 .....	8.75
F—353-43 .....	15.25
G—342 .....	12.25
H—173 .....	7.00
J—107AB .....	10.45
117AB .....	11.00
K—20 .....	11.00

# **PAGE THIRTY**

H267 .....	16.90
1046 .....	21.95
60T7 .....	16.85
60T8 .....	19.50
60T10 .....	25.30
60T5 .....	8.25
60T6 .....	11.75
Standard Heat Lamp .....	1.55
Red Bowl Heat Lamp .....	3.95
100-52 .....	49.25
Pasteurizer .....	35.90

# **PAGE THIRTY-ONE—**

A—T5012 .....	29.50
T1012 .....	32.50
B—CR40GDM .....	136.00
CR52GDM .....	151.00
C—501T .....	13.25
751T .....	14.25
10001T .....	14.60

D—500 .....	\$ 6.00
750 .....	7.00
1000 .....	7.50
E—E315-8 .....	16.00
F—PW5 .....	7.85
PW10 .....	9.50
G—TS60SP .....	11.75
H—T4W .....	8.00
J—420WX .....	15.00
K—3138 .....	9.90
3158 .....	11.75
L—GA200 .....	16.50
6A201 .....	21.00
M—6RS934 .....	8.95
N—6RS937A5 .....	51.65
6RS937A4 .....	42.75

# **PAGE THIRTY-TWO—**

11F343BY .....	23.75
11F372DY .....	26.25
11F106GY .....	39.50
11F801RY .....	64.00
11F801SY .....	70.50
11F800RY .....	80.50
11F800SY .....	87.00
6F15 .....	112.00
6F16 .....	144.00
6F17 .....	187.50
6F18 .....	239.00
CR1061 .....	6.00
CR1062NIA-1½ .....	16.65
CR1062NIA-2 .....	16.65
CR1062NIA-3 .....	16.65
71 .....	57.75
37000-149B .....	40.00

## **AT YOUR SERVICE**

For information regarding Power Commission services,  
write or telephone Your Hydro's offices.

WINNIPEG, Canada Building, - - - Telephone 933 551  
Donald at Ellice

BRANDON, 235 Tenth Street - - - Telephone 5321

PORTAGE LA PRAIRIE - - - Telephone 600  
Saskatchewan Avenue.